



	7														2			
nvoice to: lame: Street: own:			Post	al code:					Deliv Nam Stree Towr	et:					Posta	al cod	e:	
-Mail: el:								E-Ma Tel:	iil:					Fax:				
Order date:							' 		Mark	ed for								
Purchase c	order:																	
lumber red Orde≀		Quota	ation	□ Built	1 ma	longor	adtima		Sunr	ise or Star =	der no		= No.	cost op	tion		= Cost	t option
		Quota	Base Price		4 1110 (longer	eauline		. use		ght:			•	uon		- 003	COPLION
[Fay number	or: +44.	£2,055 (0)8 45 605 6	26 90				USE	R W	EIGH	T			iguratio	2			kg
			ınmed.co.u						100		00 00		ect com	iguratio	II.			
	FR	AME T	YPE - Ple	ase choos	se rec	quire	d Fra	me o	ptior	ı (Illu	strat	ed or	ı bac	k pa	ges)			
Open	frame	0	(max. user	weight 110kg)	(Page	12)			Hybri	d fran	ne	0	(ma	x user	weight	140kg)	(Page	13)
	CLI	ENT N	IEASURE	MENT - AI	ll mea	sure	men	ts in	cm w	/itho	ut cu	shior	1					
SEAT	WIDTH	SELEC	TION - mea	asured from o	outside	frame	tube t	to outs	ide fra	ame tu	be							
32		4 cm	36 cm ○	38 cm		cm		cm		44 cm		cm		cm		cm		
											only Hybrid f				1			
	C DEPTH :																	
34		6 cm	38 cm	40 cm ○	42	cm O		cm O	_	cm O		cm O		cm O				
FRO	NT SEAT	HEIGH	T SELECT	ION: indepe	endan	t of fro	ont ca	stors,	forks	and f	rame	versio	ons		•			
	Fo	rk (len	gth)	Frame	e:	43	44	45	46	47	48	49	50	51	52	53	54	55
		111 mr		low		0	0	00	0	0								
		23 mm	(1)					Ō	0	0								
		rog Leg ne Arm		high														
3"		111 mr	n							0	0	0						
	1:	123 mn 23 mm										0 0	0	0				
		rog Leg ne Arm																
	0	111 mr	n				0	0	0	0								
	1	123 mn 23 mm		low				0	0	0	0							
4"	Fi	rog Leg	(1)]														
	0	ne Arm 111 mr									0	0	0	0				
		123 mr	n	1								0	0	0	0			
		23 mm rog Leg		high														
		ne Arm	(1)															
		111 mr 123 mr		1					0	0	0	0						
		23 mm	(1)	low														
		rog Leg ne Arm		-														
5"		111 mr	n										0	0	0			
	1	123 mn 23 mm		high										<u> </u>	0	0		
	Fi	rog Leg	(1)] ""9"											-	-		
\vdash	0	ne Arm 123 mr	(1)															
		23 mm		low							0 0	0 0	0					
6"		rog Leg	(1)	1														
1 1		123 mm		hiah											<u> </u>	0	0	

Frog Leg (1) compatible with power add on devices. For 123mm fork, please choose option XFF090093 "Fork for power add ons" additionally.

REAR SEAT HEIGHT SELECTION: independant of rear wheel size

Rear seat height in cm

Rear Wheels	37	38	39	40	41	42	43	44	45	46	47	48	49	50
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

												Γ	£
		SEAT											
Seat sling													
XFF020002	0	Seat sling, nylon, tension adjustable	, 1 utility b	oag								(Standard option)	
XFF020003		Seat sling, nylon, tension adjustable	2 utility b	pags								(only from SW 34 cm)	40
XFF020004		Seat sling, nylon, tension adjustable	, 1 utility b	oag, 1	1 catheter b	ag						(only from SW 34 cm)	64
XFF020000	0	Without seat sling											
Seat cushi	on, co	ver with zipper, black											
Foam (med	ium-s	oft) Thickness: XFF02	0101	□ 3	3 cm	XFF020	0102		5 cm				48
Latex (very	soft)	Thickness: XFF02	0103	□ 5	5 cm	XFF020	0104		8 cm				48
Seat cushi	on, cl	matic membrane water-resistant, c	over with	n zipį	per, black								
Foam (med	ium-s	oft) Thickness: XFF02	0105 l		3 cm	XFF020	0106		5 cm				93
_atex (very	soft)	Thickness: XFF02	0107	□ 5	5 cm	XFF020	0108		8 cm				93
XFF020150		Replacement cover for seat cushion	, cover wi	th zip	pper, black								34
Seat acces	sorie	<u> </u>											
XFF090018		Lap belt with buckle, metal											32
XFF020050		Additional padding for seat upholster	y, remova	able									22
JAY Cushi	ons -	for complete product range see JA	Y order fo	orms	3								
JAY020002		JAY Basic											50
JAY020003		JAY Soft Combi P											70
JAY020001		JAY Easy Visco, Curved Base											120
JAY020004		JAY Lite											195
JAY020007		JAY Easy Fluid, Curved Base											280
		BACKREST											
												_	
Back heigh			25 - 30	-	30 - 35	35 -		_	- 45	-	- 47,5	_	
		ht factory setting (cm).	0 25	-	O 30		35	0	40	0	45		
Height adju	stmer	ts of in total 5 cm possible.		7.5	O 32.5		37.5	0	42,5	0	47.5		
			0 30)	O 35	0	40	0	45	J			
Backrost h	oiaht	carbon fiber tubes (3)	□ 25	. T	□ 27.5		30		32,5	1		Γ	160
	_	height adjustable	□ 35		□ 27.5 □ 37,5		40		42,5	1		-	160
i ixeu neign	ι, ποπ	neight adjustable		,	□ 31,3	Ш	40		42,3	J		L	100
XFF030010	0	Backrest, fixed (90°)											
XFF030029		O Desk sideguard preparation for	r later rep	olace	ment	(4)							
XFF030031		□ Backrest, fold-down (to the fro	nt) (6)				from ba	ck he	ight 32,5	cm, fix	ed back	k height, not adjustable)	143
XFF030012	0	Backrest, angle-adjustable	, , ,									(75° to 103°)	
XFF030029		O Desk sideguard preparation for	r later rep	olace	ment	(5)						·	
XFF030031		☐ Backrest, fold-down (to the fro					from ba	ck he	ight 32,5	cm, fix	ed back	k height, not adjustable)	143
Push hand	les	, , , , , , , , , , , , , , , , , , , ,	/ , , ,			<u> </u>			-	-			
XFF030200	0	Omit push handles											
XFF030201	0	Push handles long											
XFF030203		Push handles, fold-down						(onl	y availab	le fron	back h	eight 32,5 cm upwards)	101
XFF030205		Push handles, height-adjustable for	JAY back	S				(onl	y availab	le fron	back h	eight 32,5 cm upwards)	135

- (2) only with lightweight adapter
 - not with Jay J3 backs, not with Desk sideguard, not for use with add on bikes
- (4) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°
- (5) necessary for retrofitting Desk sideguard
- (6) not with omit or height adj. push handles, not with JAY backs, please see Folding Matrix on next side

Backrest up	phols	tery	£
XFF030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black	
		Colour, binding tape: O Black (Std) O Orange O Silver O Red O Blue	
XFF030317		EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black	
		Colour, binding tape: ○ Black (Std) □ Orange □ Silver □ Red □ Blue	116
XFF030300	0	Without backrest upholstery	
Accessorie	s for	backrest	
XFF030402		Stabilising bar, automatic folding (only available from SW 38cm; not with fixed height backrest)	111
JAY 3 Back	- Sh	allow Contour	
Mid Thoraci	C:	□ JAY030010 Medium - 34 cm □ JAY030033 Tall - 38 cm	460
Upper Thora	acic:	☐ JAY030012 Short - 42 cm ☐ JAY030019 Medium - 46 cm ☐ JAY030025 Tall - 50 cm	520
JAY 3 Back	- Mic	d Contour	
Mid Thoraci	C:	□ JAY030011 Medium - 34 cm □ JAY030018 Tall - 38 cm	460
Upper Thora	acic:	☐ JAY030013 Short - 42 cm ☐ JAY030020 Medium - 46 cm ☐ JAY030026 Tall - 50 cm	520
JAY 3 Carb	on Ba	ack - Shallow Contour	
Lower Thora	acic:	□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm	550
Mid Thoraci	c:	□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	550
Accessorie	s for	JAY J3 backs	
JAY030004		JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY J3 backs)	217
JAY030006		JAY Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY J3 backs)	117
JAY090058		JAY Accessory bag (only with JAY J3 Carbon backs)	50
		<u>, , , , , , , , , , , , , , , , , , , </u>	
		ARMREST AND SIDEGUARDS	
Armrest			
XFF040005	0	Desk sideguard, flip-up, removable	
XFF040001	0	Desk sideguard, armpad (25 cm), fixed, flip-up, removable	
XFF040003	0	Desk sideguard, armpad (31 cm), fixed, flip-up, removable	
XFF040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	149
XFF040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	149
XFF040050		Single-post sideguard, armpad (25 cm), height-adjustable, removable	134
XFF040051		Single-post sideguard, armpad (36 cm), height-adjustable, removable	134
XFF040052		Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	160
XFF040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable	160
Accessorie			100
XFF040020		Release assistance for tetraplegics (only with desk sideguard)	
Sideguards		Trelease assistance for terrapiegies (only with each oldegeard)	
XFF040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black	
XFF040101		Sideguard, carbon fibre, cold weather protection, slim (black)	160
XFF040102			177
XFF040102 XFF040103		Sideguard, aluminium, cold weather protection (in frame colour) Sideguard, aluminium, fender, cold weather protection (in frame colour)	191
XFF040103 XFF040104		Sideguard, aluminium, render, cold weather protection (in frame colour) Sideguard, carbon fibre, fender, cold weather protection (black)	250
XFF040104		Sideguard, Carbott libre, lender, cold weather protection (black)	230
		FOOTBOARDS	
VEE050121			
XFF050131	0	Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), calf strap, black Footboard, platform, lightweight, plastic, angle & depth-adj. flip up (sideways), high-mount black (LLL 22-34cm)	175
XFF050061			
XFF050023		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	116
XFF050126		Swing-away mechanism for platform footboard (minimum LLL 3cm longer)	79 175
XFF050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap (7)	175
XFF050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	239
		Footboard, auto-folding	200
XFF050027		Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adjustable, calf strap, black	239
XFF050028		Footboard, platform, lightweight, plastic, auto-folding, angle and depth-adjustable, calf strap, black	197
		Accessories for footboards	
		Foot positioning plate (Adjustable side protection, to create a side-stop on the footboard) (8)	

⁽⁷⁾ not in SW32 with 1 cm inset

⁽⁸⁾ only for footboard, platform lightweight or Performance

			£
		LOWER LEG LENGTH (LLL): LLL has to be 2,5 cm less than front seat height; all measurements are in cm	
0		22	
0		32	
0		42 0 43 0 44 0 45 0 46 0 47 0 48 0 49 0 50	
O		42 0 43 0 44 0 43 0 40 0 47 0 40 0 49 0 30	
		EDAME VERGIONO	
		FRAME VERSIONS	
		Open frame (max. user weight 110kg)	
XFF010012	0	Frame FF 80 ° (integrated footrest)	
		XFF010101 ☐ Inset: Slight (1 cm)	87
XFF010013		Frame FF 88 ° (integrated footrest), performance	87
		XFF010101 ☐ Inset: Slight (1 cm)	87
		<u> </u>	
		Hybrid frame (max user weight 140kg)	
XFF010020	Ω	Frame FF 80 ° (integrated footrest), hybrid	
XFF010021	0	Frame FF 88 ° (integrated footrest), hybrid	
X1 1 0 1 0 0 2 1		Traine 11 00 (integrated rootiest), hybrid	
		CENTRE OF CRAVITY (COC)	
		CENTRE OF GRAVITY (COG) (measured from front of back post in cm; 4cm= very passive 13cm= very active)	
XFF070703	Adap	oter, standard 0 4 0 5 0 6 0 7 0 8	
		0 9 0 10 0 11 0 12	
XFF070701	Adap	oter, lightweight (9) 0 7 0 8 0 9 0 11 0 12 0 13	
XFF010411	0	Axle plate, aluminium, long (full adjustment)	
XFF010412		Axle plate, aluminium, shorted (max. adjustment 1 cm)	144
		· · · · · · · · · · · · · · · · · · ·	
		FRAME ACCESSORIES (choose either tip assit or anti- tip tubes, not both)	
XFF090016			52
		Frame protection, black	32
XFF090100	0	Tie down brackets for transportation	450
XFF090010		Transit wheels	152
XFF090014		Frame reinforcement kit for add on bike	271
XFF090050		Anti-tip tubes, plug-in, pair	59
		Anti-tip tubes, swing-away	
XFF090004		Left XFF090005 □ Right	69
XFF090006		Pair	136
		<u> </u>	
		Tip assist	
XFF090001		Left XFF090002 □ Right	24
XFF090003		Pair	48
XFF090009		Crutch holder, loop (only in combination with tip assist)	52
XFF090009		Crutch Holder, 100p	32
		Description for ATTITUDE Add On hiles	
		Preparation for ATTITUDE Add-On bike	
XFF090211		without ATTITUDE order (docking pins assembled)	77
XFF090212	0	with ATTITUDE order (docking pins assembled; ATTITUDE order seperately)	
		FORKS (compare with your choice on the first page)	
XFF080013	0	Castor fork, Carbotecture ® Colour: Black (Std)	
		Colour: ☐ Silver ☐ Orange ☐ Red (10) ☐ Blue (10)	36
XFF080008		Castor fork, aluminium, one-arm Colour: Black	133
		Colour: □ Silver □ Orange □ Red □ Blue	36
XFF080007		Castor fork, aluminium, suspension (Frog Legs ®), black	222
XFF090093		Fork for power add ons, 123x45 mm (black)	52
		Tork for power and one, 120x40 filling (black)	32
		CACTORO	
		CASTORS (compare with your choice on the first page)	
XFF080301	0	Castor, solid (hard), rim: composite, black	
XFF080302	0	Castor, solid (soft), rim: composite, black (only 5" & 6")	
XFF080303		Castor, solid (hard), light-up, rim: composite, black (not in 6")	52
XFF080304		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" & 5")	62
XFF080306		Castor, solid (soft), rim: aluminium Colour, rim: Silver (only 4" & 5")	62
		Colour rim: ☐ Black ☐ Orange ☐ Red ☐ Blue	36

⁽⁹⁾ only with 0° wheel camber

⁽¹⁰⁾ only with 111x45mm Carbotecture fork

			£							
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)								
XFF070000	0	Without rear wheel								
XFF070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 24")								
XFF070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")								
XFF070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last page)								
XFF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 100kg)	379							
XFF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	344							
XFF070006		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: silver	530							
XFF070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	530							
XFF070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (11) (only 24")	278							
XFF070009		Rear wheel, Mountainbike, 36 spokes (silver), straight spokes (only 24")	244							
XFF070010		Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	367							
		Axle								
XFF070150	0	Quick-release axle (Standard option)								
XFF070151		Quick-release axle, designed for quads (12)	79							
		(12)	,,,							
		TYRES (choose only one tyre type)								
XFF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 24")								
XFF070102	0	Tyre, puncture proof, tread								
XFF070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (only 24")	70							
XFF070107		Tyre, pneumatic, slick, Schwalbe One	70							
XFF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	70							
		HANDRING								
\/F5370004		HANDRIMS								
XFF070204	0	Handrims, stainless steel, silver								
XFF070202	0	Handrims, aluminium, anodised, silver								
XFF070201	0	Handrims, aluminium, powder-coated, clear								
XFF070203		Handrims, aluminium, powder-coated, coloured (select colour on last page)								
XFF070205 XFF070206		Handrims, titanium, untreated								
XFF070206 XFF070207		Handrims, titanium, powder-coated, clear								
XFF070207 XFF070208		Handrims, Supergrip ®								
XFF070206 XFF070211		Handrims, Maxgrepp ® (only 24") Handrims, Surge ®	175 139							
7 0		Transmitte, Garge @	133							
		Hand rim mounting								
XFF070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel and Surge)								
XFF070317	0	Handrim mount, narrow (17 mm) (Standard option)								
XFF070327	0	Handrim mount, wide (27 mm)								
XFF070250		Handrim accessories	70							
XFF070250		Handrim cover, rubber (only 24")	70							
		WHEEL CAMBER (choose only one option)								
XFF070600	0	0°								
XFF070602	0	2° (not with Centre of Gravity Adapter, lightweight)								
XFF070604	0	4° (not with Centre of Gravity Adapter, lightweight)								
VEE07057	_	SPOKE GUARDS (only 24")	00							
XFF070831		Transparent Rotation XFF070815 □ Graphik XFF070804 □ Bibbo	96 96							
XFF070826 XFF070810		Rotation XFF070815 □ Graphik XFF070804 □ Bibbo Fantasy XFF070813 □ Galactica XFF070805 □ Cheese	96							
XFF070810 XFF070823		Princess XFF070808 Dancing Bear XFF070818 Dungle Fever	96							
XFF070823 XFF070816		Happy Lions XFF070832 Water World XFF070825 Randolf	96							
XFF070810 XFF070819		Monkeys XFF070821 □ Pirates XFF070811 □ Feather	96							
XFF070819 XFF070820		Oriental XFF070824 Racing XFF070809 Dirt Race	96							
XFF070829		Superhero XFF070814 Graffiti XFF070806 Chrome	96							
XFF070829 XFF070817		Hot Wheels XFF070802 □ Basketball XFF070803 □ Basketball 2	96							
XFF070817 XFF070822		Pool XFF070812	96							
XFF070827		Silk XFF070801 Abstract XFF070807 Creative	96							
XFF070830		Tiger XFF070833 Zebra	96							
L										

⁽¹¹⁾ only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.

⁽¹²⁾ not with Rear wheels Spinergy/ Mountainbike/ drum brakes

										£
		WHEEL LO	CKS					(choos	e only one o	option)
XFF060001		Standard brak						(Stand	ard option)	
XFF060002		Knee-lever bra	ake							46
XFF060010		□ Brake le	ver extension	<u>, knee-l</u> ever	brake, fold-do	own				32
XFF060003		Compact brak	e							46
XFF060004		Compact brak	e, lightweight		(13)					116
		ACCESSOR	RIES							
XFF090000		Tool kit								
XFF090025		Air pump								11
XFF090024		High pressure	pump (0 - 11	bar)						59
XFF090020		Net bag								16
XFF090030		Back pack								46
XFF090019		Caddy, flip-up		ags		(not with platform	footplates hig	hmounted or au	ıto-folding)	46
XFF090026		Mobile phone	pocket							35
		201 01100	(14)							
		COLOURS	''' Please	consult our o	colour catalog	ue to review your colour choice				
		Eramo	Handrim	Llub/ring	X-brace		Eromo	Handrim	Llub/rim	V broom
		Frame	Handrim	Hub/rim			Frame	Handrim	Hub/rim	
01 White RA	\I 004	0 0	£48	£135	£135 □	26 Silver Texture	\circ	£48 □	£135	£135
01 White RA		0 0				27 Graphitemetallic	0			
02 Brilliant S 03 Silver Ma		0				28 Platinmetallic	0			
03 Silver Ma 04 Silver	all	0				29 Black	0			
06 Sun Yello	214/	0				31 Matt Black	0			
07 Brilliant L		0				32 Signal White	0			
08 Matt Lime		0				33 Pink	0			
14 Blue	C	0				34 Dark Chocolate Metallic	0			
15 Brilliant N	//arine					35 Skyblue	0			
16 Matt Mari		0				36 Cyan-Metallic	0			
19 Brilliant P		0				37 Marsred (Orange)	0			
20 Matt Purp		0				39 Cappuccino	0			
21 Red Rub		0				40 Kiwi	0			
22 Brilliant F	•	0				41 Flamingo-Glitter	0			
23 Matt Red		0				42 Matt-Anthracite	0			
24 Tutti Frut						43 Azure Blue	0			
						Rear wheel, lightweight another		ae		(15)
						Rear wheel, lightweight another		J -		(15)
						Rear wheel, lightweight another				(15)
(13) not with	Hybrid	frame; not availabi	e with 4° cambe	r; not available v	vith seat depth 3	4 cm; not for use with add on bikes; ad		oG 5 cm in the t		` ,
(14) Handrim	n: only w	vith handrim coloui	powder coated,	Hub/rim: only fo	or universal whee	e/				
(15) only with	h 24" Lig	ghtweight wheel, H	lub and rim anoc	lized, black spok	es					
Comment	ts for	special bu	ild - please a	apply for a qu	ote; lead time	conditions may change.				
				1.1. 7	,					
								1000 100		
							ķ	built	4 m	ne l
									SOME THE REAL PROPERTY.	<i>IIII.</i>
QUICKIF	XFN	NON² base	price					£2,	055	
			F50				-	~=,		
Option p	rice									
Total Pri	ce									

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2 cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

a) For the user: When sitting with 90° kneeangle:

From back of knee to bottom of shoe sole.

b) On the wheelchair: From front of seat tube to the ground.

(min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower

shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

0° is the angle 90° to the ground. Negative angles are <90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:102 cmMax. overall length:105 cmMax. turning circle:70 cmMax. safe slope:10°

Wheelchair weight: from 8,8 kg
Dismantled weight: from 6,3 kg
Weight of heaviest part: 2,1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For 0° camber: SW + 16 cm SW + 16 cm For 2° camber: SW + 21 cm SW + 22 cm For 4° camber: SW + 26 cm SW + 27 cm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle.

For transport wihout a user the chair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm



XFF 020002 Seat sling with 1 utility bag



XFF 020003 Seat sling with utility bags



XFF 030316 EXO backrest sling



XFF 030317 EXO PRO backrest sling



XFF 030201 Push handles long



2

XFF 030203 Push handles, fold-down



XFF 030204 Push handles , height-adjustable



XFF 090018 Lap belt with buckle, metal

$\label{lem:continuous} \textbf{Folding-Matrix} \ \textbf{for XFF} \ \textbf{030031} \ \textbf{Backrest, fold-down to the front.}$

Seat width

Back height



	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down pushhandles




=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair

JAY J3 backs





Shallow Contour

8 cm

Mid Contour



XFF040107 Composite sideguard detachable



XFF040101 carbon fibre, cold weather protection,



XFF040102 Aluminium , cold weather protection



XFF040103 Aluminium, cold weather protection, fender



XFF04000x Desk sideguard, armpad, flip-up, removable



XFF040104 Carbon fibre, cold weather protection, fender



XFF050132 Footboard platform, lightweight, carbon fibre



XFF050059 Footboard platform, performance



XFF050027 Footboard platform, lightweight, carbon fibre, auto folding



XFF050127 Adjustable side protection



XFF090001 Tip assist



XFF090004 Anti-tip tubes, swing away



XFF090050 Anti-tip tubes, plug in, pair



XFF090010 Transit wheels



XFF070001 Universal wheel



XFF070002 Design wheel



XFF070003 Lightweight wheel



XFF07000 Proton wheel



XFF07010 Mountainbike wheel



XFF070101 Schwalbe Right Run



XFF070106 Schwalbe Down Town



XFF070107 Schwalbe One



XFF070104 Schwalbe Marathon Plus Evolution



XFF070102 Tyre, puncture proof



XFF070202 Handrims aluminum, anodized



XFF070203 Handrims aluminum, powder coated, coloured



XFF070208 Handrims Maxgrepp



XFF070211 Handrims Surge®



XFF060001 Standard brake



XFF060002 Knee lever brake



XFF060003 Compact brake



XFF060004 Lightweight compact brake



XFF090000 Tool kit



XFF090024 High pressure pump



XFF090025 Air pump



XFF090030 Back pack



XFF090019 Caddy, flip-up bracket for bags



XFF090026 Mobile phone pocket



