



| Invoice to. | |
|-----------------|--------------|
| Name: | |
| Street: | |
| Town: | Postal code: |
| Country: | |
| Tel: | Fax: |
| Order date: | |
| Purchase order: | |

| Deliver to: | |
|-------------|--------------|
| Name: | |
| Street: | |
| Town: | Postal code: |
| Country: | |
| Tel: | Fax: |
| Marked for: | |
| | |

CRAGI

Max. user weight: 140 kg (22 stone)

Fax: +44 (0)845 605 66 89 E-mail: orders@sunmed.co.uk

Standard Features (Salsa M²)

- Mid wheel drive base
- 6 wheel independent suspension
- 7cm kerb climbing ability
- 13" Drive wheels
- 60Ah Batteries

STR020109

JCL020012

JCL020003

JCL020007

• 61cm Overall width

Standard Features (Salsa M² Mini)

- Mid wheel drive base
- 6 wheel independent suspension
- 7cm kerb climbing ability
- 12.5" Drive wheels
- 36Ah Batteries
- 52cm Overall width

Standard Features (Seating System)

- Width & depth adjustable seat
- Angle adjustable back (-4° to 16°)
- Angle & depth adjustable footplates
- Flip back adjustable armrests
- Tension adj. backrest sling
- Lap belt

DRIVE BASE TYPE



☐ Salsa M² Mini Base Price £4,495



☐ Salsa M²
Base Price £4,630

STANDARD SEAT: FRAME / SEAT SIZE

| | | Width Setting | |
|------|---|---------------|----|
| SW41 | 0 | 41cm (16") | SD |
| SW43 | 0 | 43cm (17") | SD |
| SW46 | 0 | 46cm (18") | SD |
| SW48 | 0 | 48cm (19") | SD |
| SW51 | 0 | 51cm (20") | SD |
| | | | - |

SD41 O SD43 O SD46 O SD48 O SD51 O

Depth setting
41cm (16")
43cm (17")
46cm (18")
48cm (19")
51cm (20")

| STR020114 : Adjustable Seating System |
|--|
| eat frame is fully adjustable from 41cm to 5 |

(16" - 20") in width and depth. Independently adjustable in 2.5cm (1") increments

(standard with standard seat)

76

141

181

(thickness 2cm)

(thickness 8cm)

(anatomic formed - thickness 9cm)

STANDARD SEAT: CUSHION

Firm seat board

| STR020111 | 0 | 5cm (2") standard foam cushion 41cm (16") wide | (used for seat width 41 - 46cm) | |
|------------|-----|--|--|-----|
| STR020112 | 0 | 5cm (2") standard foam cushion 48cm (19") wide | (used for seat width 48 - 51cm) | |
| STR020110 | 0 | Omit Seat Cushion | | |
| | | | | |
| | | | | |
| JAY020002 | | JAY Basic | (Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) | 50 |
| JAY020003 | | JAY Soft Combi P | (Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) | 70 |
| JAY020006 | | JAY Easy Visco, Flat Base | (Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) | 120 |
| JAY020005 | | JAY Easy Fluid, Flat Base | (Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) | 280 |
| JAY020004 | | JAY Lite * | (* Only available in seat size: 46 x 41cm or 48 x 41cm) | 195 |
| | | | | |
| | JA' | Y COMFORT SEAT | | |
| JCI 020011 | П | Comfort seat pan, without threshold | (thickness 2cm) | 46 |

Standard cushion - stretched rubber upholstery

Optimum comfort - stretched rubber upholstery

□ Comfort seat pan, with 5cm (2") threshold

SEAT HEIGHT: Select Seat Height setting inline with Seat Tilt/Lift Option chosen

| | | Fixed Tilt | | | Power Tilt | | Po | ower Lift / Tilt | |
|-----------|-------|------------------------------------|-------------|----------------|-----------------------------|---------------------------|------------------|-------------------------------|------------------|
| SH43 O | 43 | cm Fixed Tilt s | H43 O | 43 cm | Power Tilt | SH45 O | 45 cm | Power Lift / Tilt (1) | |
| SH45 O | | | H45 O | 45 cm | Power Tilt (1) | SH47 O | 47 cm | Power Lift / Tilt | |
| SH47 O | | | H47 O | 47 cm | Power Tilt | - SH49 ○ | 49 cm | Power Lift / Tilt | |
| | | o height selected | | 47 CIII | 1 Owel Till | | 43 CIII | 1 OWEI LIIT / TIIT | |
| , | Ü | v | | | | | | | |
| | TIL | & LIFT | | | | | | | |
| SAL130002 | 0 | Manual tilt (3° preset tilt) | | | | | (0 | °, 3°, 6° and 9° adjustable) | |
| SAL130004 | | Powered C.O.G tilt: 0° to 30° | | | | (C.O.G tilt, fo | or seat to floor | height please refer above) | 592 |
| SAL130005 | | Powered negative C.O.G tilt: - | 5° to 25° | | | | (C | O.G tilt, 47cm STFH only) | 714 |
| SAL130007 | | Powered C.O.G tilt: 0° to 50° | | | | (No | t available with | n power or gas strut recline) | 814 |
| SAL130006 | | Powered lift & tilt: 30cm lift, 0° | ° to 30° ti | lt | | (C.O.G tilt with lift, fo | or seat to floor | height please refer above) | 1589 |
| | | | | | | | | • | |
| | BAG | KREST RECLINE | | | | | | | |
| STR030018 | 0 | Mechanical fixed recline back | (-4° to 16 | 6°) | | | | | |
| STR030025 | | Manual gas strut recline back | (-5° - 30° | ') | | | | (Attendant operated only) | 192 |
| STR030026 | | Powered recline back (-5° - 30 |)°) | | • | | | | 383 |
| | | | | | | | | | |
| | STA | NDARD BACKREST | | | | | | | |
| STR030301 | 0 | Tension adj. sling backrest | | | | (2.5cm up and dow | n adjustment, | with std foam cushion only) | |
| STR030300 | 0 | Omit back upholstery | | | | | | | |
| | | | | | | | | | |
| Back Heig | ht Se | ting O 46cm (18") | 0 | 48.5cm (19 | ") O | 51cm (20") | | | |
| | | | | | | | | | |
| | JAY | SHAPE BACKREST - MA | AX USE | R WEIG | HT 135KG | | (Prem | ium tension adjustable back | rest upholstery) |
| JAY080001 | | JAY SHAPE Backrest | | | | | (N | ot with in 51cm Seat Width) | 175 |
| JAY080002 | | JAY SHAPE Backrest - Oversized | (Supplied ' | 1" larger than | seat width to allow greater | immersion) | (Not w | vith 48 or 51cm Seat Width) | 175 |
| | | | | | | | | | |
| Back Heig | ht Se | ting O 46cm (18") | 0 | 48.5cm (19 | ") O | 51cm (20") | 0 5 | 3.5cm (21") | |
| | | O 56cm (22") | 0 | 58.5cm (23 | ") O | 61cm (24") | | | |
| | | | | | | | | | |
| JAY080010 | | JAY SHAPE Lateral Thoracic supp | orts (Pair |) - Support | 15 x 15 cm (Pair) | | | | 175 |
| JAY080011 | | JAY SHAPE Lateral Thoracic supp | orts (Pair |) - Support | 10 x 12 cm (Pair) | | | | 175 |
| | | | | | | | | | |
| | JAY | COMFORT BACKRESTS | 3 | | | | | | |
| JCL030004 | | Shallow contour - Hard Back | | | (50cm back hei | ght) | | | 139 |
| JCL030008 | | Shallow contour - Vertical Elas | stic Strap | s | (57cm back hei | ght) | | | 202 |
| JCL030006 | | Shallow contour - Tension adj | straps | | (57cm back hei | ght) | | | 202 |
| JCL030012 | | Deep contour - passive - Ten | sion adj s | straps | (57cm back hei | ght) | (4 | " integrated lateral support) | 234 |
| JCL030010 | | Deep contour - active - Tension | n adj stra | aps | (57cm back hei | ght) | (4" integra | ated lumbar lateral support) | 234 |
| | | | | | | | | | |
| | LAT | ERAL SUPPORTS | | | | | | | |
| STR030601 | | Lateral supports short (pair) | | | | | | | 248 |
| STR030602 | | Lateral supports long (pair) | | | | | | | 248 |
| | | | | | | | | | |
| | STA | NDARD HEADRESTS | | | | | | | |
| STR030416 | | Comfort headrest (winged styl | e with ad | j. side pad | (Mounted v | ia push handles - on | ly available wi | th Std. Back or JAY Shape) | 158 |
| STR030417 | | Curved headrest (23x11cm / 9 |)"x4.5" pa | ad) | (Mounted v | ia push handles - on | ly available wi | th Std. Back or JAY Shape) | 158 |
| JCL040001 | | JAY Comfort seating headrest | | | (Mou | unted via Comfort ba | ckrest - only a | vailable with Comfort back) | 178 |
| JCL040002 | | JAY Comfort seating headrest | - winged | l style | (Mou | unted via Comfort ba | ckrest - only a | vailable with Comfort back) | 201 |

| | | | | | | | | | ~ |
|------------------------|--------|-------------------------|-----------------------|----------------|---------------------|----------------------|------------------|--------------------------------------|--------------------|
| | | BACKRESTS - | For Comp | lete rang | e refer to J | 3 Order Form | | | |
| 3 Back - Shallo | ow Co | | | | | | | | |
| Jpper Thoracic: | | □ Short - 42 cm | | | | cm (JAY030019) | | Tall - 50 cm (JAY030025) | 520 |
| Shoulder Height: | : | □ Short - 53 cm | (JAY030015) | | Medium - 57 | cm (JAY030022) | | Tall - 61 cm (JAY030028) | 520 |
| 3 Back - Mid C | onto | ur | | | | | | | |
| Jpper Thoracic: | | □ Short - 42 cm | (JAY030013) | | Medium - 46 | cm (JAY030020) | | Tall - 50 cm (JAY030026) | 520 |
| Shoulder Height: | | □ Short - 53 cm | (JAY030016) | | Medium - 57 | cm (JAY030023) | | Tall - 61 cm (JAY030029) | 520 |
| 3 Back - Deep | Cont | our | | | | | | | |
| Jpper Thoracic: | | □ Short - 42 cm | (JAY030014) | | Medium - 46 | cm (JAY030021) | | Tall - 50 cm (JAY030027) | 570 |
| Shoulder Height: | | □ Short - 53 cm | (JAY030017) | | Medium - 57 | cm (JAY030024) | | Tall - 61 cm (JAY030030) | 570 |
| 3 Back - Poste | rior [| Deep Contour | | | | | | | <u> </u> |
| Jpper Thoracic: | | - | | | Medium - 46 | cm (JAY300031) | | | 570 |
| Shoulder Height: | | □ Short - 53 cm | (JAY030032) | | | · | | | 570 |
| | | HEADRESTS | | | | | | | |
| AY030004 | | JAY flip back headre | est (J3EUHDF | H & J3EUH | HDLSP) | | | (only with J3 back | (s) 217 |
| AY030006 | | JAY std. headrest (| • | | | | | (only with J3 back | <u> </u> |
| | | , | 00_0 | | <i>.</i> , | | | · · | |
| | ٩RM | RESTS | | | | | | | |
| TR040122 | 0 | Flip-up armrest (hei | ight angle adi | ustable) | | (Height A | Anale and depth | adjustable via outside of armre | st) |
| STR040127 | | Reclining flip-back a | <u> </u> | 40142.5, | | , , | | ays level when backrest Recline | • |
| STR040127 | | Single post armrest | | available on s | alea Mini) | (2" inward width | • | " depth adjustment via sideguan | • |
| 111070120 | | Single post annicot | , (1100 | available on c | alsa Iviii ii | (Z mwara mas. | aujustinom, . | uepin aujusiment via siaegaa. | 130 |
| | ۸RM | PADS | | | | | | | |
| STR040112 | | Standard Armpad - | 385 x 60mm | nad | | | | | T |
| STR040113 | | Contoured Armpads | | | | | | | 52 |
| STR040114 | | Jay Comfort Padded | • • • • | | long | | | | 103 |
| STR040114 STR040118 | | Jay Comfort P-Shap | · · | | | · | Not available on | Salsa Mini OR Flip back Armre | |
| STR040118 STR040119 | | Hemi Armpad (Medi | <u> </u> | | | 28cm (11") | | 1 x 18cm (4.5" x 7") | 371 |
| 111040113 | | Heiiii Aiiiipaa (ivica | IIUIII IOIGaini p | du & Oman | Hanu i au, | 20011 (11) | I du i | T X TOUTH (7.5 X 1) | 3/ 1 |
| F | POS | ITIONING ITEMS | 3 | | | | | | |
| STR030604 | | Lateral Thigh Guide | e/Support | (4" Depth adj | ustment / 2" inwa | rd width adjustment) | (Not | available with single post armre | st) 144 |
| STR030605 | | Pommel | | (Height / dept | h adj. / Quick rele | ease removable) | (Not av | ailable with centre mount legres | ts) 175 |
| | | | | | | | | | |
| L | LEG | RESTS & FOOTE | PLATES | | | | | | |
| F | ixed | centre mount legre | ests & Flip-up | footboard | d | | | | |
| STR050106 / 112 | 0 | Centre Mount Legrest | t: Short | | | | (29cm - 37cm | n (11.5" - 14.5") Lower Leg Leng | th) |
| STR050107 / 113 | 0 | Centre Mount Legrest | t: Medium | | | | (37cm - 47cm | n (14.5" - 18.5") Lower Leg Leng | th) |
| STR050103 | | Powered centre moun | nt legrest | (Not available | on salsa Mini) | (Lower leg length | : 35cm - 47cm (| (13.5" - 18.5") + 14 cm articulation | on) 982 |
| | | | - | | | | | | |
| 5 | Swing | g-away legrests | | | | | (Lower leg | length: 34cm - 48cm / 13" - 19 |)") |
| STR050040 | 0 ; | Standard hanger rec | eivers | | | (Comes standa | rd, with 70 degr | ree s/a hangers, not with Uni sty | le) |
| STR050041 | 0 (| Offset hanger receive | ers | (20mm | outwards offset | each side, comes std | with all ELR an | d ALR hangers, not with Uni sty | le) |
| | | | | | | | | | • |
| STR050015 | 0 | 70° swing-away legr | rests | | | | | | |
| STR050019 | 0 | 80° Uni style hange | rs and footpla | tes | | | | | |
| STR050016 | | Manual elevating leg | | | | | | | 246 |
| STR050017 | | Powered elevating l | | | | | | | 453 |
| STR050018 | | Powered articulating | | | | | | | 645 |
| | | | 3 - 3 | | | | | | - |
| | OPT | ONS FOR MANU | UAL AND P | OWER E | LEVATING | LEGRESTS | | | |
| TR050038 | | Comfort calf pads (pade | | | | | (Not available | with centre mount or 70° legres | ts) 93 |
| STR050039 | | Auto connector hanger | · · · · · · | · · | | | , | (Powered legrests on | - |
| | _ | <u> </u> | 1000 | | | | | | |
| F | F00 | TPLATES (FOR | SWING AV | AY LEG | RESTS) | | | | |
| TR050022 | | = = | | | , | | | | |
| | 0 / | Aluminium angle and | | | | | | | |
| | | Aluminium angle and | | | | (Only available with | 70° swing-away | / legrests and standard receiver | s) 110 |
| STR050023 | | ootboard (flip-up) | d depth adjusta | | | (Only available with | 70° swing-away | / legrests and standard receiver | _ |
| | | | d depth adjusta RH | | | (Only available with | 70° swing-away | / legrests and standard receiver | s) 110 62 62 |

| | | | | £ |
|--------------------|---------|---|--|------|
| | VR2 C | CONTROLS (70A on 6KPH, 90A or | n 10KPH) | |
| | Motor (| Controller | (Can control up to two powered options - for more than 2 powered options choose R-net) | |
| STR110001 | 0 | VR2 70Ah controller | (Standard option if no VR2 motor controller selected) | |
| | Joystic | :k | | |
| STR110012 | 0 | VR2 Joystick | | |
| STR110020 | | VR2 attendant only | (For attendant only control VR2 remote must be selected also) | 87 |
| STR110021 | | VR2 dual control (mounted RH) | (For dual control VR2 remote must be selected also) | 411 |
| | | | | |
| | R-NE | CONTROLS (PLEASE SELECT) | MOTOR CONTROLLER AND JOYSTICK TYPE REQUIRED) | |
| | Motor (| Controller | | |
| STR110003 | 0 | R-Net 90A motor controller | (Standard option if no R-Net motor controller selected) | |
| STR110004 | | R-Net 120A motor controller (Only | available with 10Kph / 13kph 4 Pole Motors - Delivers Extra Torque for Outdoor Performance) | 85 |
| | Joystic | :k | | |
| STR110018 | | R-net LED remote | | 424 |
| STR110017 | | R-net colour LCD remote | (Integrated colour display with 2 stereo jack inputs for piko buttons) | 551 |
| STR110020 | | R-net attendant only | (For attendant control R-net LED remote must be selected also) | 87 |
| STR110021 | | R-net dual control (mounted RH) | (For dual control R-net LED/LCD remote must be selected also) | 411 |
| SAL090068 | | R-net Bluetooth control module | (Compatible with Windows PC and Android systems only) | 575 |
| | | | | |
| | CONT | ROL MOUNTING OPTIONS | | |
| STR110052 | 0 | RH Mounted - Swing away controller | (Standard Option if no option selected) | |
| STR110053 | 0 | LH Mounted - Swing away controller | | |
| SAL090062 | | Swing-away tray mounted centre contro | (R-Net LED as standard , VR2 via B4M) | 396 |
| SAL110143 | | Swing-away tray mounted centre contro | R-NET LCD (Mounted RH Flip Away) | 1460 |
| | | | | |
| | LIGHT | IS & INDICATORS (NOT AVAILAE | BLE ON SALSA MINI) | |
| SAL110201 | | LED lights & indicators | | 359 |
| | | | | |
| | DRIVE | WHEELS & CASTORS | | |
| | Salsa | M² Mini | | |
| SAL070054 | 0 | 12.5" Solid drive wheels | 7" Solid castors (Standard Option if no option selected) | |
| SAL070055 | 0 | 12.5" Pneumatic drive wheels | 7" Solid castors | |
| | Salsa | M² | | |
| SAL070036 | 0 | 13" Solid drive wheels | 7" Solid castors (Standard Option if no option selected) | |
| SAL070035 | 0 | 13" Pneumatic drive wheels | 7" Solid castors | |
| | | | | |
| | MOTO | OR SPEED | | |
| SAL100706 / 602 | 0 | 3.2kph (2mph indoor setting) | (6kph motor with reduced speed via programming) | |
| SAL100705 / 601 | 0 | 6kph (4mph) | | |
| SAL100603 | | 10kph (6mph) (1) (2) | | 246 |
| SAL100604 | | 10kph (6mph) 4 Pole High Torque High | Performance Motors (1) (2) (Must be chosen with R-Net 120Ah Motor Controller) | 304 |
| UKB4M | | 13kph (8mph) 4 Pole High Performance | | 361 |
| (1) N/A on Salsa N | Aini | (2) Rear view mirror and lights require | | |
| .,,, | | (-) | (-) | |
| | SHRO | OUD COLOUR | (frame colour always matt black) | |
| SAL140002 | O Rec | | SAL140004 O Matt Black SAL140001 O White | |
| | | 2.2 | The state of the s | |
| | BATT | ERIES SALSA M² MINI | BATTERIES SALSA M ² | |
| SAL160004 | • | 36 Ah Batteries | SAL160001 O 60Ah Batteries (Standard Option if no option selected) | |
| | - | | B4M ☐ 70Ah Batteries | 103 |
| | | | | 100 |
| | CHAR | GER SALSA M² MINI | CHARGER SALSA M ² | |
| SAL160105 | • | 5A charger | SAL160100 ● 8Ah Charger | |
| | | | | |
| | | | UKB4M ☐ 10Ah Charger | 175 |

| | | | £ |
|--------------|--------|---|-----|
| | ACCE | SSORIES | |
| SAL090040 | | Swing-away tray table | 158 |
| SAL090069 | | Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) | |
| SAL090067 | | Rear view mirror | 35 |
| SAL090003 | | Crutch holder (not available on salsa M with powered lift, tilt or recline) | |
| SAL160012 | | 24V Auxiliary battery supply (adds additional 24V 15A fused connection into battery loom) | 36 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Quickie S | alsa N | 1 ² & M² Mini - Base Price £ | |
| Option Price | 9 | £ | |
| Total Pric | e | £ | _ |
| | | | |



QUICKIE

SALSA M2 & Salsa M2 Mini

| | | | SPECIAL CONTROLS | £ |
|-----------|--------|--|---|--|
| | LZ-IAE | I SPECIAL CONTROLS | | |
| STR110101 | | R-NET OMNI colour display & Special Control Input module | (R-NET OMNI required; 2 Piko buttons recommended.) | 796 |
| STR110102 | | OMNI in scanning mode | (c/w 10 assignable functions through DB9 interface) | 796 |
| | | Front control mountings | | - |
| STR110110 | • | R-NET OMNI Flexi mount only | | |
| | | Left Right | | |
| | | STR110121 O O STR110122 | | |
| STR110140 | | Omit Special Control | | -98 |
| | | Cint openia control | | |
| | SPE | CIAL JOYSTICKS AS HAND CONTROL | (R-NET OMNI required; 2 Piko buttons | recommended |
| TR110130 | | Switch-It Versaguide proportional joystick as hand control | | 1539 |
| TR110131 | | Switch-It Micro Guide as hand control | | 2069 |
| TR110132 | | Switch-It Micro Pilot (0-way) joystick as hand control | | 2281 |
| | Moun | , ,,,,,, | | |
| TR110150 | 0 | Fixed front mount | | |
| TR110151 | | | | 54 |
| | П | Swing-away front mount Left Right | | 54 |
| | | STR110162 O O STR110161 | | |
| | | SSIZE S SIMINOR | | |
| | | STR110101 STR110131 | STR110130 STR110132 | |
| | SPEC | IAL HEAD RELATED INPUT DEVICES | | |
| | | (if you have already chosen a standard headrest then swi | tch- It head array is not possible) | |
| TR110133 | | | er versions available via B4M) (OMNI required, 2 PB recommended) | 3130 |
| TR110134 | | Switch-It Micro Pilot (0 way) joystick as chin control | (OMNI required, 2 PB recommended) | 2281 |
| TR110135 | | Proportional chin control | (proportional joystick; OMNI required; 2 PB recommended) | 796 |
| TR110136 | | Sip & Puff control | (tube and mouthpiece; OMNI required; 2 PB recommended) | 266 |
| TR110137 | | Switch-It Micro Guide as chin control | (OMNI required, 2 PB recommended) | 2069 |
| TR110138 | | Switch-It proportional head control | (OMNI required, 2 PB recommended) | 2918 |
| | | Switch-It Versaguide proportional joystick as chin control | | |
| TR110139 | | STR110139 STR110133 | (OMNI required, (Switch-It flex switch kit incl.)) | 1645 |
| | CHIN | CONTROL / SIP AND PUFF SWING-AWAY MO | UNTING OPTIONS | |
| TR110152 | | Manual s/a option | | 207 |
| | | Powered s/a option (select type below) (not a | vailable with forus attendant control; s/a operation through separate switch) | |
| | | STR110162 □ Left | | |
| | | STR110161 □ Right | | |
| TR110153 | | Operated with Piko button | (operated via one Piko button - select colour below) | 1539 |
| TR110154 | | Operated with ribbon switch | | 1645 |
| | | Powered swing-away chin option | on Piko buttons | |
| | | | | |
| | PIKC | BUTTONS (Ø 3 cm) | | |
| | PIKC | BUTTONS (Ø 3 cm) Red x 1 □ Red | x 2 | 77 Per Switc |
| | | , , | x 2 x 2 | |
| | | Red x1 □ Red | | 77 Per Switc 77 Per Switc 77 Per Switc |

JAY COMFORT SEATING OPTIONS & ACCESSORIES

JAY COMFORT

Seat pan, with 5cm (2") threshold



Upholstered wooden seat board available with or without a 5cm (2") front and rear threshold. Ideal for supporting air filled cushions.

Standard comfort cushion



This cushion has a 12mm (1/2") beech wood base with a slightly contoured foam cushion, featuring a 2cm (3/4") seat angle designed to aid client in front transfers.

Optimum comfort cushion



The Optimum comfort cushion provides additional contouring and support for increased user positioning. A built-in pommel, thigh guides and a seat well for optimum comfort and positioning.

Shallow contour backrest


Hard back, vertical strap or tension

adj. straps



Anatomically shaped with a shallow contour and padded for extra comfort. Available as a solid wooden backrest, vertical strap option or with tension adjustable straps for posture management. Solid back height 50cm (20"), vertical strap back height 57cm (22").

Deep contour backrest - active





This back features tension adjustable straps for posture management and a 10cm (4") deep contour providing integrated lateral support around the lower back, tapering away at the shoulders so as not to restrict active users. Back height 57cm (22").

Deep contour backrest - passive

with tension adj. straps



Similar to the Deep Contour active backrest, this features tension adjustable straps and a 10cm (4") deep contour continuing up the whole of the backrest, ideal for clients with restricted movement. Back height 57cm (22").

JAY Comfort: Comfort headrest

A soft velour finish for warmth and easy-clean rubber upholstery. Mounted directly off any JAY Comfort Backrests



JAY Comfort: Winged headrest Adjustable flexible wings around the client's head for added support. Mounted directly off any JAY Comfort Backrests

