



181

(anatomic formed - thickness 9cm)

	SALSA M
Invoice to:	Deliver to:
Name:	Name:
Street:	Street:
Town: Postal code:	Town: Postal code:
Country: Tel: Fax:	Country: Tel: Fax:
Order date:	Marked for:
Purchase order:	ividiked for.
	_
Max. user weight: 140 kg (22 stone) USER WEIGHT Mandatory information Kg	Fax: +44 (0)845 605 66 89 E-mail: orders@sunmed.co.uk
walladory mornadori	Order online at: www.sunscript.co.uk
Base	Salsa MWD Price £4,733
Standard Features (Salsa M)	Standard Features (Seating System)
, , ,	_ · · · · · · · · · · · · · · · · · · ·
Mid wheel drive base	Width, height & depth adjustable seat
6 wheel independent suspension	 Angle adjustable back (-5° to 30°)
120cm turning circle	 Tension adj. backrest sling
13" drive wheel	 Flip back, angle, height & depth adj. arms
7cm kerb climbing ability	 Angle & depth adjustable footplates
60cm width	● Lap belt
CTANDADD CEAT, EDAME / CEAT CIZE	
STANDARD SEAT: FRAME / SEAT SIZE Width Setting Depth se	ettina
SALW41 O 41cm (16") SALD41 O 41cm (1	
· · · · · · · · · · · · · · · · · · ·	
SALW46 O 46cm (18") SALD46 O 46cm (1	
SALW48 O 48cm (19") SALD48 O 48cm (1	
SALW51 O 51cm (20") * SALD51 O 51cm (2	* if you choose 51cm seat width you cannot adjust the seat to floor height down to
STANDARD SEAT: CUSHION	70.0UII
SAL040207 • Firm seat board	(standard with standard seat)
SAL040200 O 5cm (2") standard foam cushion 41cm (16") wide	(used for seat width 41 - 46cm)
SAL040201 O 5cm (2") standard foam cushion 48cm (19") wide	(used for seat width 48 - 51cm)
SAL040203 O Omit seat cushion	(Chair supplied with NO seat cushion option)
one sea cusinon	(enam cappined married coat oddinon option)
JAY CUSHIONS	
JAY020002 □ JAY Basic	(Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) 50
JAY020003 ☐ JAY Soft Combi P	(Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) 70
JAY020006 ☐ JAY Easy Visco, Flat Base	(Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) 120
JAY020005 ☐ JAY Easy Fluid, Flat Base	(Not available in seat size: 41 x 51cm / 43 x 51cm or 51 x 41cm) 280
JAY020004	(Only available in seat size: 46 x 41cm or 48 x 41cm) 195
	•
JAY COMFORT SEAT	
JAY COMFORT SAL040217 SAL040218	SAL040219 SAL040220
SAL040217	(thickness 2cm) 46
SAL040218	(thickness 2cm) 76
SAL040219	(thickness 8cm) 141

Optimum comfort - stretched rubber upholstery

SAL040220

	TII "	C& LIFT		L
SAL040211	0	Manual tilt (3° preset tilt)	(0° 2° 6° and 0° adicatable)	
		, ,	(0°, 3°, 6° and 9° adjustable)	500
SAL040212		Powered C.O.G tilt: 0° to 30°	(C.O.G tilt, for seat to floor height please refer below)	592
SAL130007		Powered C.O.G tilt: 0° to 50°	(Not available with power or gas strut recline)	814
SAL040213		Powered negative C.O.G tilt: -5° to 25°	(C.O.G tilt, for seat to floor height please refer below)	714
SAL040214		Powered lift & tilt: 30cm lift, 0° to 30° tilt	(0° - 30° tilt and 30cm lift, for seat to floor height please refer below)	1589
	SEA	AT HEIGHT: Seat height available depends on seat lift/t	ilt option	
			Salsa-M	
		(*) Standard setting if no seat height is chosen	Manual Tilt 40.5cm (16")	
		(!) All heights measured with seat angle at 0°	Manual Tilt (*) 43cm (17")	
		(x) Not available with 50 degree power tilt option	Manual Tilt 45.5cm (18")	
			Power Tilt (*) 45cm (17.5")	
			Power Tilt 47.5cm (18.5")	
			Power Tilt (x) 50cm (19.5")	
			Lift/Tilt (*) 46cm (18")	
			Lift/Tilt 51cm (20")	
	BAG	KREST RECLINE		
SAL050100	0	Mechanical fixed recline back (-4° to 16°)	(No Parts adjustment width & depth when seat size changes)	
STR030025		,	t operated only -No Parts adjustment width & depth when seat size changes)	192
STR030026		Powered recline back (-5° - 30°)	(No Parts adjustment width & depth when seat size changes)	383
		,	•	
	STA	NDARD BACKREST		
SAL050001	0	Tension adj. sling backrest (48cm /19" height)	(2.5cm up and down adjustment, with std foam cushion only)	
		Backrest height setting SAL050002 O (18"		
SAL050000	0	Omit back upholstery	(Chair supplied with NO back upholstery option)	
		Cime Dubit aprilatedly	(* * * * * * * * * * * * * * * * * * *	
	JAY.	SHAPE BACKREST - AVAILABLE SEPT 2015	(Premium tension updjustable backrest upholstery - Not available o	n SW 51cm)
JAY080001		JAY SHAPE Backrest	(Not available in 51cm Seat Width)	175
JAY080002		JAY SHAPE Backrest - Oversized (Supplied 1" larger than seat width to	, ,	175
Back Heigh		<u> </u>		
	BH535		35 O 58.5cm (23") BH61 O 61cm (24")	
JAY080010		JAY SHAPE Lateral Thoracic supports (Pair) - Support 15 x 15 cm (175
JAY080011		JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (·	175
	JAY	COMFORT BACKRESTS - Note that seat depth needs	to be increased by 2" when using deep contour backs	
SAL050010			Ocm back height)	139
SAL050011		,	7cm back height)	202
SAL050012		·	"cm back height)	202
SAL050013		, ,	7cm back height) (4" integrated lateral support)	234
SAL050014			7cm back height) (4" integrated lumbar lateral support)	234
5,1200011		Doop contour deare Tenden day enape (ex	(miogratos amas ateras cappony	201
	ΙΔΊ	ERAL SUPPORTS		
SAL050050		Lateral supports short (pair)		248
SAL050051		Lateral supports long (pair)		248
		Lateral supports long (pair)		2.0
	.14	3 BACKRESTS		
J3 Back - S				
Upper Thor			46 cm (JAY030019) ☐ Tall - 50 cm (JAY030025)	520
Shoulder He			57 cm (JAY030022)	520
J3 Back - N	_		07 011 (0A7030022)	020
Upper Thor			46 cm (JAY030020) ☐ Tall - 50 cm (JAY030026)	520
Shoulder He			57 cm (JAY030023)	520
J3 Back - D			1 all - 01 cll (JA1030029)	320
Upper Thor			46 cm (JAY030021) □ Tall - 50 cm (JAY030027)	570
Shoulder H				
	_		57 cm (JAY030024) ☐ Tall - 61 cm (JAY030030)	570
		or Deep Contour	AG om (IAVoggood)	F70
Upper Thor			46 cm (JAY300031)	570
Shoulder He		Short - 53 cm (JAY030032)		570
141/22222		3 HEADRESTS		04=
JAY030004		JAY flip back headrest (J3EUHDFH & J3EUHDLSP)	(only with J3 backs)	217
JAY030006		JAY std. headrest (J3EUHDXH & J3EUHDLSP)	(only with J3 backs)	117

			L.
	STA	ANDARD HEADRESTS	
SAL090002		Comfort headrest (winged style with adj. side pads) (Mounted via push ha	
SAL090025		Curved headrest (23x11cm / 9"x4.5" pad) (Mounted via push he	
SAL090014		JAY Comfort seating headrest (Mounted via Comfort ba	
SAL090015		JAY Comfort seating headrest - winged style (Mounted via Comfort ba	eckrest) 201
	4.0	MDEGTO	
CA1.060000		MRESTS (Hairbt Anda and don'th adjustable via outside of an	rmra at)
SAL060000 STR040127	<u></u>	Flip-up armrest (Height, Angle and depth adjustable via outside of all Reclining Flip back Armrest (Armrest stays level when backrest Re	•
STR040121		Reclining Flip back Armrest (Armrest stays level when backrest Re Single Post Armrest (2" inward width adjustment via sideguatd and armpad / 4" depth adjustment via sideg	
3111040120		Single Fost Affilest (2 inward width adjustment via sideguald and amipad 7 4 depth adjustment via sideg	<i>juaru</i>) 190
	ΔRI	MPADS	
STR040112	0	Standard Armpad - 385 x 60mm pad	
STR040113		Contoured Armpads 41cm (16")	52
STR040114		Jay Comfort Padded Armpad 35cm (13.5")	103
STR040118		Jay Comfort P-Shaped Padded Armpad 35cm (13.5") (Only available with Single Post Ar	rmrest) 144
STR040119		Hemi Armpad (Medium forearm pad & Small hand Pad) 28cm (11") Pad 11 x 18cm (4.5" x 7")	371
	PO	SITIONING ITEMS	
STR030604		Lateral Thigh Guide/Support (4" Depth adjustment / 2" inward width adjustment) (Not available with Single post Ar	rmrest) 144
STR030605		Pommel (Height / depth adj. / Quick release removable) (Not available with centre mount le	egrests) 175
		GRESTS & FOOTPLATES	
		ed centre mount legrests & Flip-up footboard (Not available on negat	
STR050106	0	Centre Mount Legrest: Short (29cm - 37cm (11.5" - 14.5") Lower Leg I	
STR050107	0	Centre Mount Legrest: Medium (37cm - 47cm (14.5" - 18.5") Lower Leg I	
SAL060220		Powered centre mount legrest (Lower leg length: 35cm - 47cm (13.5" - 18.5") + 14 cm artic	culation) 982
	Swii	ng-away legrests (Lower leg length: 34cm - 48cm / 13'	" - 10")
SAL060211	0	Standard hanger receivers (Comes standard, with 70 degree s/a hangers, not with Un	-
SAL060210	0	Offset hanger receivers (20mm outwards offset each side, comes std with all ELR and ALR hangers, not with Un	
STR050015	0	70° swing-away legrests (Black)	
SAL050061	0	80° Uni style hangers and footplates (LLL 32-47cm (12.5"-18.5") - Not available with -5 to 25 degree tilt m	nodule)
SAL060201		Manual elevating legrest	246
SAL060202		Powered elevating legrest	453
SAL060205		Powered articulating legrest	645
		TIONS FOR MANUAL AND POWER ELEVATING LEGRESTS	
SAL060207		Comfort calf pads (padded with wipe down cover) (Not available with centre mount or 70° le	, , , , , , ,
SAL060208		Auto connector hanger receivers (Powered legrest	ts only) 110
	FΩ	OTPLATES (FOR SWING AWAY LEGRESTS)	
SAL060300	0	Aluminium angle and depth adjustable	
SAL060301		Footboard (flip-up) (Only available with 70° swing-away leg	grests) 110
STR050004		Amputee support - RH	62
STR050005		Amputee support - LH	62
	VR	2 CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered	d options choose R-net
SAL030050/1	0	VR2 remote (Remote type selected according to options c	hosen)
SAL090016		VR2 attendant only (Mount	ed RH) 87
SAL090004		VR2 dual control (mounted RH) (For dual control VR2 remote must be selected	ed also) 411
044 00000		NET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5)	45.
SAL030057/8		R-net LED remote (Remote type selected according to options c	
SAL090017 SAL090018		R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy b	
SAL090018 SAL090004		R-net attendant only (mounted RH) (For attendant control R-net LED/LCD remote must be selecte R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selecte	
SAL090004 SAL090011		R-net Bluetooth control module (Compatible with Windows PC and Android system	
3.230011		TO THE STATE OF THE OFFICE OF THE OFFI	

Swing-away tray mounted centre control R-NET LCD										£
Self. 2000002 Swing-away tray mounted centre control R-NET LED (Mounted RPF Rip Away) 399 Self. 11974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray mounted centre control R-NET LCD (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 146 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Mounted RPF Rip Away) 147 Self. 1974 Sumg-away tray table (Moun		CONT								
Self 19143 Swing-away tray mounted centre control R-NET LCD			<u> </u>		RH	0	O LI	H s		
LIGHTS & INDICATORS SAL 110207										396
LIGHTS & INDICATORS SAL170207			<u> </u>	-NET LCD						1460
LED lights & indicators (STVZO APPROVED) 355 SAL020001	34M		Centre Bar flip-up controller mount				(E	34M Option	/ (Mounted RH Flip away)	POA
LED lights & indicators (STVZO APPROVED) 355 SAL020001		LICUI	E & INDICATORS							
REAR WHEELS & CASTORS ALCO7000	SAI 110201			:D)					I	350
REAR WHEELS & CASTORS				(U:						
SAL070006 O 13" Solid drive wheels			EED lights & indicators - Standard							333
SAL070006 O 13" Solid drive wheels		REAR	WHEELS & CASTORS							
MOTOR SPEED SAL070102 ○ 3.2kgh (2mph indoor setting) (8kph motor with reduced speed via programming) SAL070100 ○ 6kph (4mph) SAL070101 □ 10kph (6mph) (Rear review mirror required by law) 24t COLOUR SAL090301 ● Red SALSA CUSTOM COLOUR OPTION (Built-4-Me option - 10 days additional lead time for this option) □ Any Colour - Please specify RAL Code RAL Code: PO BATTERIES SAL030102 ● 55Ah gel batteries CHARGER SAL030200 ● 8A charger ACCESSORIES SAL090000 ● Transportation tie down points SAL090001 □ Swing-away tray table 15s SAL090001 □ Swing-away tray table 15s SAL090001 □ Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) 61 SAL090000 □ Rear view mirror 35 SAL090000 □ Crutch holder (not available with powered lift, till or recline) 55 SAL090000 □ Crutch holder (not available with powered lift, till or recline) 55 SAL180012 □ 24V auxiliary battery supply (adds additional 24V 15A fused connection into battery loom) 36 DRIVE FROM OPTION	SAL070006			7" Solid ca	stor / 6" soli	d rear v	wheel	(60cı	m / 24" overall chair width)	
SAL070102	AL070007	0	13" Pneumatic drive wheels	7" Solid ca	stor / 6" soli	d rear v	wheel	(60cı	m / 24" overall chair width)	
SAL070102									l	
SAL070100 ○ 6kph (4mph) SAL070101 □ 10kph (6mph) COLOUR SAL500301 • Red SAL5000001 • Red COLOUR OPTION (Built-4-Me option - 10 days additional lead time for this option) Any Colour - Please specify RAL Code RAL Code: PO BATTERIES SAL030102 • 55Ah gel batteries CHARGER SAL030200 • 8A charger ACCESSORIES SAL0300000 • Transportation tie down points AL090001 □ Swing-away tray table SAL090001 □ Swing-away tray table SAL090001 □ Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) SAL090000 □ Rear view mirror SAL090000 □ Rear view mirror SAL090000 □ Crutch holder (not available with powered lift, lift or recline) SAL090000 □ Crutch holder (not available with powered lift, lift or recline) SAL160012 □ 24V auxiliary battery supply (sadds additional 24V 15A fused connection into battery loom) DRIVE FROM OPTION		MOTO	OR SPEED							
COLOUR SAL090301 • Red SAL090301 • Red SALSA CUSTOM COLOUR OPTION (Built-4-Me option - 10 days additional lead time for this option) Any Colour - Please specify RAL Code RAL Code: PO BATTERIES SAL030102 • 55Ah gel batteries CHARGER SAL030200 • 8A charger ACCESSORIES SAL090000 • Transportation tie down points SAL090000 • Adjustable lap strap SAL090000 • Swing-away tray table SAL090001 • Swing-away tray table SAL090000 • Rear view mirror CHARGER SAL090000 • Crutch holder (not available with powered lift, tift or recline) SAL090000 • Crutch holder (not available with powered lift, tift or recline) DRIVE FROM OPTION	AL070102	0	3.2kph (2mph indoor setting)			(6kp	h motor ı	with reduced	d speed via programming)	
COLOUR SALSA CUSTOM COLOUR OPTION Any Colour - Please specify RAL Code BATTERIES SAL030102 SAL030200 BACESSORIES SAL030000 Transportation tie down points AGUESSORIES SAL090000 Adjustable lap strap SAL090001 SMing-away tray table SAL090001 Billetooth USB mouse receiver (if there is no Bluetooth function on the computer) SAL090003 RAL Code:	SAL070100	0	6kph (4mph)							
SALSA CUSTOM COLOUR OPTION (Built-4-Me option - 10 days additional lead time for this option) Any Colour - Please specify RAL Code RAL Code: PO BATTERIES SAL030102 • 55Ah gel batteries CHARGER SAL030200 • 8A charger ACCESSORIES SAL090000 • Transportation tie down points SAL090000 • Adjustable lap strap SAL090001 □ Swing-away tray table 156 SAL090012 □ Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) 611 SAL090003 □ Crutch holder (not available with powered lift, lift or recline) 553 SAL160012 □ 24V auxiliary battery supply (adds additional 24V 15A fused connection into battery loom) 363 DRIVE FROM OPTION	SAL070101		10kph (6mph)					(Rear revi	ew mirror required by law)	246
SALSA CUSTOM COLOUR OPTION (Built-4-Me option - 10 days additional lead time for this option) Any Colour - Please specify RAL Code RAL Code: PO BATTERIES SAL030102		221.0								
SALSA CUSTOM COLOUR OPTION Any Colour - Please specify RAL Code	244.000004									
BATTERIES SAL030102 • 55Ah gel batteries CHARGER SAL030200 • 8A charger ACCESSORIES SAL090000 • Transportation tie down points SAL090000 • Adjustable lap strap SAL090001 □ Swing-away tray table SAL090010 □ Bluetooth USB mouse receiver SAL090010 □ Rear view mirror SAL090001 □ Crutch holder CTUTCh holder SAL090003 □ Crutch holder SAL090003 □ Crutch holder SAL090001 □ 24V auxiliary battery supply SAL090001 □ (adds additional 24V 15A fused connection into battery loom) SAL090001 □ 24V auxiliary battery supply	SALU90301	•	Red							
BATTERIES SAL030102 • 55Ah gel batteries CHARGER SAL030200 • 8A charger ACCESSORIES SAL090000 • Transportation tie down points SAL090000 • Adjustable lap strap SAL090001 □ Swing-away tray table SAL090010 □ Bluetooth USB mouse receiver SAL090010 □ Rear view mirror SAL090001 □ Crutch holder CTUTCh holder SAL090003 □ Crutch holder SAL090003 □ Crutch holder SAL090001 □ 24V auxiliary battery supply SAL090001 □ (adds additional 24V 15A fused connection into battery loom) SAL090001 □ 24V auxiliary battery supply	SALSA CU	STOM CO	DLOUR OPTION	(Built-4	I-Me option	- 10 da	vs addi	tional lea	d time for this option)	
BATTERIES SAL030102							,			POA
CHARGER SAL030200 • 8A charger ACCESSORIES SAL090000 • Transportation tie down points SAL090000 • Adjustable lap strap SAL090001 □ Swing-away tray table SAL090012 □ Bluetooth USB mouse receiver SAL090006 □ Rear view mirror SAL090003 □ Crutch holder	,		, , , , , , , , , , , , , , , , , , , ,	1					-	
CHARGER SAL030200 ● 8A charger ACCESSORIES SAL090000 ● Transportation tie down points SAL090001 ● Adjustable lap strap SAL090001 □ Swing-away tray table SAL090012 □ Bluetooth USB mouse receiver SAL090006 □ Rear view mirror SAL090006 □ Rear view mirror SAL090003 □ Crutch holder Crutch holder SAL090003 □ Crutch holder SAL090003 □ Adds additional 24V 15A fused connection into battery loom) ORIVE FROM OPTION		BATT	ERIES							
ACCESSORIES SAL090000	SAL030102	•	55Ah gel batteries							
ACCESSORIES SAL090000										
ACCESSORIES SAL090000		CHAR	GER							
Transportation tie down points AL090005 Adjustable lap strap AL090001 Swing-away tray table SAL090012 Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) SAL090006 Rear view mirror SAL090003 Crutch holder (not available with powered lift, tilt or recline) SAL160012 DRIVE FROM OPTION Transportation tie down points (if there is no Bluetooth function on the computer) (if there is no Bluetooth function on the computer) (adds additional 24V 15A fused connection into battery loom) DRIVE FROM OPTION	SAL030200	•	8A charger							
Transportation tie down points AL090005 Adjustable lap strap AL090001 Swing-away tray table SAL090012 Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) SAL090006 Rear view mirror SAL090003 Crutch holder (not available with powered lift, tilt or recline) SAL160012 DRIVE FROM OPTION Transportation tie down points (if there is no Bluetooth function on the computer) (if there is no Bluetooth function on the computer) (adds additional 24V 15A fused connection into battery loom) DRIVE FROM OPTION		ACCE	SEODIES							
Adjustable lap strap SAL090001	SAL 090000									
SAL09001			<u> </u>							
Bluetooth USB mouse receiver (if there is no Bluetooth function on the computer) 61 AL090006 Rear view mirror Crutch holder (not available with powered lift, tilt or recline) 55 AL160012 24V auxiliary battery supply (adds additional 24V 15A fused connection into battery loom) 36 DRIVE FROM OPTION										158
Rear view mirror CAL090003						(if t	here is n	o Bluetooth	function on the computer)	61
Crutch holder (not available with powered lift, tilt or recline) 55 CAL160012						ν τ		22.0041		35
DRIVE FROM OPTION (adds additional 24V 15A fused connection into battery loom) 36							(not av	ailable with	powered lift, tilt or recline)	55
DRIVE FROM OPTION					(adds	additiona	-			36
					,					
☐ Prepared for Dahl docking station option Available as B4M build option PO.		DRIVE	FROM OPTION							
			Prepared for Dahl docking station option					Ava	ilable as B4M build option	POA
		Ш	Prepared for Dani docking station option					Ava	llable as B4M build option	POA
	Quickio	Salca	M. Paga Briga						c c	
Quiakia Calaa M. Basa Drias			M - base Price							
Quickie Salsa M - Base Price £		IUC								
Option Price £		·ioc								
Option Price £ /AT £	i otai Pr	ICE							ļ ^t	
ption Price £										

RETAIL



			SPECIAL CONT	ROLS
				£
	R-NI	T SPECIAL CONTROLS		
SAL110001		R-NET OMNI colour display & Special (Control Input module	796
SAL110002		OMNI in scanning mode	(c/w 10 assignable functions through DB9 interface)	796
		Front control m	ountings	
SAL110010	•	R-NET OMNI Flexi mount only		
		Left Ri	ight	
		SAL110018 O	O SAL110019	
	SPE	CIAL JOYSTICKS AS HAND CON	ITROL (R-NET OMNI required; 2 buddy buttons	recommended.)
SAL110020		Switch-It Versaguide proportional joystic	ck as hand control	1539
SAL110021		Switch-It Micro Guide as hand control		2069
SAL110022		Switch-It Micro Pilot (0-way) joystick as	hand control	2281
	Mour	ting		
SAL110100	0	Fixed front mount		
SAL110101		Swing-away front mount		54
		Left Ri	ight	
		SAL110151 O	O SAL110152	
		SAL110001 SAL1100	SAL110020 SAL110022	
	SPE	CIAL HEAD RELATED INPUT DEVIC	ES	
		(if you have already chosen a stan	ndard headrest then switch- It head array is not possible)	
SAL110023		Switch-It 3 switch head array / adult	(5 switch and other versions available via B4M) (OMNI required, 2 BB recommended)	3130
SAL110024		Switch-It Micro Pilot (0 way) joystick as	chin control (OMNI required, 2 BB recommended)	2281
SAL110025		Proportional chin control	(proportional joystick; OMNI required; 2 BB recommended)	796
SAL110026		Sip & Puff control	(tube and mouthpiece; OMNI required; 2 BB recommended)	266
SAL110027		Switch-It Micro Guide as chin control	(OMNI required, 2 BB recommended)	2069
SAL110028		Switch-It proportional head control	(OMNI required, 2 BB recommended)	2918



SAL110029

SAL110029



Switch-It Versaguide proportional joystick as chin control

SAL110023

	CHIN	N CONTROL / SIP AND PUFF SWING-A	WAY MOUNTING OPTIONS	
SAL110102		Manual s/a option		207
		Powered s/a option (select type below)	(not available with forus attendant control; s/a operation through separate switch)	
		SAL110151 O Left		
		SAL110152 O Right		
SAL110103		Operated with buddy button	(operated via one buddy button - select colour below)	1539
SAL110104		Operated with ribbon switch		1645



Powered swing-away chin option Powered swing away chin option





(OMNI required, (Switch-It flex switch kit incl.))

Buddy buttons

1645

	Buddy but	ton sw	ritches			per switch
SAL110081	Red	x 1	SAL110085	Red	x 2	79
SAL110082	Green	x 1	SAL110086	Green	x 2	79
SAL110083	Yellow	x 1	SAL110087	Yellow	x 2	79
SAL110084	Blue	x 1	SAL110088	Blue	x 2	79



- :
- All prices listed are net prices (No discount applies)
- Built-4-Me phone number: +44(0)1384 42 15 21



• Built-4-Me e-mail: built4me@sunmed.co.uk

• Parts Website: http://parts.sunrisemedical.eu

		£
DYN	IAMIC CONTROLS - SALSA M Via B4M Department	
211		
	ARK CONTROLS (60A + 15A boost) (Maximum two powered options - for more than 2 powered options choose DX)	DOA
	Shark remote with actuator keys (DK-REMD11B)	POA
	Parallel swing-away controller mount RH O O LH	DO A
	Centre flip-up controller mount RH LH	POA
	Shark remote with lights, indicators and actuator keys (DK-REMD21B)	POA
	Shark remote attendant only (mounted RH) (For attendant control Shark remote must be selected also)	POA
	Shark dual control (mounted RH) - (DK-ACU) (For dual control Shark remote must be selected also)	POA
DY	CONTROLS	
	DX-REMG90 remote (Offers Jack sockets for 2 remote buttons)	POA
	DX LED remote (DX2-REM420)	POA
	DX LCD colour remote (DX-REM550) (Offers Jack sockets for 3 remote buttons)	POA
	DX Master tray remote (DX-REM41D)	POA
	DX Master remote (DX-REMG91) - Use with Special Control inputs (Offers Jack sockets for 3 remote buttons)	POA
	DX Master scanner remote (DX-REMG91S) (Offers Jack sockets for 3 remote buttons)	POA
	Parallel swing-away controller mount RH O O LH	TOA
	Centre flip-up controller mount RH □ □ LH	POA
	DX attendant only (mounted RH) (For attendant control DX G90/LED/LCD remote must be selected also)	POA
	DX dual control (mounted RH) - (DX-ACU1) (For dual control DX G90/LED/LCD remote must be selected also)	POA
	BX dudi control (modifica (11) (BX 700 1)	1 0/1
DX	GYRO OPTIONS	
	DX Gyro power module upgrade and Gyro module (DX2-PMA90LG & DX2-GYRO) (Choose Remote option above)	POA
	·	
DX	SECONDARY (SPECIALIST) JOYSTICK OPTIONS - PROPORTIONAL AS HAND CONTROL	
	Switch-It DX Interface box (DXD) - required for Switch-It devices below	POA
	Switch-It Micro Guide - requires DX interface box (DXD) (DX Master Remote required)	POA
	Switch-It Micro Pilot - requires DX interface box (DXD) (DX Master Remote required)	POA
	DX Proportional Micro Extremity Control - DX-RJM-MEC (DX Master Remote required)	POA
	SECONDARY (SPECIALIST) JOYSTICK OPTIONS - PROPORTIONAL AS HEAD / CHIN CONTRO	
	Switch-It DX Interface box (DXD) - required for Switch-It devices below	POA
	Switch-It proportional head control - requires DX interface box (DXD) (DX Master Remote required)	POA
	Switch-It Micro Guide - requires DX interface box (DXD) (DX Master Remote required)	POA
	Switch-It Micro Pilot - requires DX interface box (DXD) (DX Master Remote required)	POA
	DX Proportional Micro Extremity Control - DX-RJM-MEC (DX Master Remote required)	POA
Note For Ohio	DX-RJM Chin Joystick (DX Master Remote required)	POA
Note - For Chin C	control mounting options please select options from standard product order form where applicable	
DV	SECONDARY (SPECIALIST) JOYSTICK OPTIONS -SWITCHED AS HEAD CONTROL	
	DX 4 switch module with mode (DXACC4B) - All devices below require DX-ACC4B	POA
	Switch-It head array (3 switch) (5 switch and other versions also available via B4M - DX Master Remote required)	POA
	Owner it flead and y (5 Switch)	TOA
I-PC	PRTAL	
	Bluetooth connector module (DJ-BTINT) (Use for Apple devices - Dashboard and charging only)	POA
	Bluetooth connector module with accessibility (DJ-BTINT-ACC) (Use for Apple devices)	POA
	I-Portal with HID control (DJ-BTINT-HID) (Use for PC and Android devices)	POA
	I-Portal with HID and accessibility control (DJ-BTINT-HID-ACC) (Use for Apple, PC and Android devices)	POA
I-PC	RTAL MOUNTING	
	Gooseneck with cradle - 300mm (DJ-GNKS-IPH) (Suitable for iphone 4 only)	POA
	Gooseneck with cradle - 450mm (DJ-GNKL-IPH) (Suitable for iphone 4 only)	POA

JAY COMFORT SEATING OPTIONS & ACCESSORIES

JAY COMFORT

Seat pan, with 5cm (2") threshold



Upholstered wooden seat board available with or without a 5cm (2") front and rear threshold. Ideal for supporting air filled cushions.

Standard comfort cushion



This cushion has a 12mm (1/2") beech wood base with a slightly contoured foam cushion. featuring a 2cm (3/4") seat angle designed to aid client in front transfers.

Optimum comfort cushion



The Optimum comfort cushion provides additional contouring and support for increased user positioning. A built-in pommel, thigh guides and a seat well for optimum comfort and positioning

Shallow contour backrest

Hard back, vertical strap or tension

adj. straps



Anatomically shaped with a shallow contour and padded for extra comfort. Available as a solid wooden backrest, vertical strap option or with tension adjustable straps for posture management. Solid back height 50cm (20"), vertical strap back height 57cm (22")

Deep contour backrest - active

with tension adj. straps



This back features tension adjustable straps for posture management and a 10cm (4") deep contour providing integrated lateral support around the lower back, tapering away at the shoulders so as not to restrict active users. Back height 57cm (22").

Deep contour backrest - passive

with tension adj. straps



Similar to the Deep Contour active backrest, this features tension adjustable straps and a 10cm (4") deep contour continuing up the whole of the backrest, ideal for clients with restricted movement. Back height 57cm (22").

JAY Comfort: Comfort headrest

A soft velour finish for warmth and easy-clean rubber upholstery. Mounted directly off any JAY Comfort Backrests



JAY Comfort: Winged headrest Adjustable flexible wings around the client's head for added support.

Mounted directly off any JAY



