



**Invoice to:**  
Name:  
Street:  
Town: Postal code:  
Country:  
Tel: Fax:  
Order date:  
Purchase order:

**Deliver to:**  
Name:  
Street:  
Town: Postal code:  
Country:  
Tel: Fax:  
Marked for:

**Base Price £3,863**



Email: [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

Fax number: +44 (0)845 605 66 89

**Maximum user weight limit 140kg (22 Stone)**

Standard Features (Salsa R <sup>2</sup> )	Seating Standard Options
<ul style="list-style-type: none"> <li>● Rear wheel drive base</li> <li>● 12.5" drive wheels</li> <li>● Drive wheel suspension</li> <li>● 60Ah batteries</li> <li>● 60cm overall width (with 12" wheels)</li> </ul>	<ul style="list-style-type: none"> <li>● Tension adj. backrest sling</li> <li>● 70° swing-away legrests</li> <li>● Angle &amp; depth adjustable footplates</li> <li>● Adjustable lap strap</li> <li>● Height and angle adjustable backrest</li> </ul>
<ul style="list-style-type: none"> <li>● Red, Blue or White Shroud</li> <li>● Motor/wheel disengagement</li> <li>● Transportation approved</li> <li>● Width, height &amp; depth adjustable seat</li> <li>● Flip back, angle, height &amp; depth adj. arms</li> </ul>	

STANDARD SEAT: FRAME / SEAT SIZE			
	<b>Width Setting</b>	<b>Depth setting</b>	
SW41	<input type="radio"/> 41cm (16")	SD41	<input type="radio"/> 41cm (16")
SW43	<input type="radio"/> 43cm (17")	SD43	<input type="radio"/> 43cm (17")
SW46	<input type="radio"/> 46cm (18")	SD46	<input type="radio"/> 46cm (18")
SW48	<input type="radio"/> 48cm (19")	SD48	<input type="radio"/> 48cm (19")
SW51	<input type="radio"/> 51cm (20")	SD51	<input type="radio"/> 51cm (20")
			<b>STR020114 : Adjustable Seating System</b>
			<i>Seat frame is fully adjustable from 41cm to 51cm (16" - 20") in width and depth. Independently adjustable in 2.5cm (1") increments</i>
			£

STANDARD SEAT: CUSHION			
STR020109	● Firm seat board		<i>(standard with standard seat)</i>
STR020111	<input type="radio"/> 5cm (2") standard foam cushion 41cm (16") wide		<i>(used for seat width 41 - 46cm)</i>
STR020112	<input type="radio"/> 5cm (2") standard foam cushion 48cm (19") wide		<i>(used for seat width 48 - 51cm)</i>
STR020110	<input type="radio"/> Omit seat cushion		

JAY SEAT DIMENSION							
	<b>Width</b>						
		41	43	46	48	51	
<b>Depth</b>	41	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	43	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	46	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	48	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	51	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
JAY020002	<input type="checkbox"/> JAY Basic						50
JAY020003	<input type="checkbox"/> JAY Soft Combi P						70
JAY020006	<input type="checkbox"/> JAY Easy Visco, Flat Base						120
JAY020005	<input type="checkbox"/> JAY Easy Fluid, Flat Base						280
JAY020004	<input type="checkbox"/> JAY Lite *						195
* cushion size available in Jay Lite ONLY							

JAY COMFORT SEAT			
JCL020011	<input type="checkbox"/> Comfort seat pan, without threshold		<i>(thickness 2cm)</i> 46
JCL020012	<input type="checkbox"/> Comfort seat pan, with 5cm (2") threshold		<i>(thickness 2cm)</i> 76
JCL020003	<input type="checkbox"/> Standard cushion - stretched rubber upholstery		<i>(thickness 8cm)</i> 141
JCL020007	<input type="checkbox"/> Optimum comfort - stretched rubber upholstery		<i>(anatomically formed - thickness 9cm)</i> 181

● = Standard    ○ = No cost option    □ = Cost option

£

**SEATING OPTION - SELECT SEAT POSITIONING OPTION WITH ASSOCIATED SEAT HEIGHT**

SEAT POSITIONING OPTION	12.5" Drive Wheels		14" Drive Wheels		Option Price
	Low Seat Height	Tall Seat Height	Low Seat Height	Tall Seat Height	
	<i>(No Extension Kit)</i>	<i>(Inc Extension Kit - SAL090022)</i>	<i>(No Extension Kit)</i>	<i>(Inc Extension Kit - SAL090022)</i>	
SAL130001 Manual adjustable single pivot tilt (3° preset)	○ 42cm (16.5")	N/A	○ 43cm (17")	N/A	
SAL130002 Manually adjustable C.O.G Tilt (3° preset)	○ 44cm (17.3")	○ 47cm (18.5")	○ 45cm (17.7")	○ 48cm (19")	
SAL130003 Powered single pivot tilt 3° to 20°	□ 42cm (16.5")	N/A	□ 43cm (17")	N/A	386
SAL130004 Powered C.O.G Tilt: 0° to 30°	□ 46cm (18")	□ 49cm (19.5")	□ 47cm (18.5")	□ 50cm (20")	592
SAL130005 Powered negative C.O.G tilt: -5° to 25°	□ 46cm (18")	□ 49cm (19.5")	□ 47cm (18.5")	□ 50cm (20")	714
SAL130006 Powered lift & tilt: 30cm lift, 30° tilt	□ 47cm (18.5")	□ 50cm (20")	□ 48cm (19")	□ 51cm (20.5")	1589

**BACKREST RECLINE**

STR030018	○ Mechanical fixed recline back	<i>(-4° to 16°)</i>	
STR030025	□ Manual adjustable recline back	<i>(Attendant operation only - gas strut, -5° to 30°)</i>	192
STR030026	□ Powered recline back	<i>(-5° to 30°)</i>	383

**STANDARD BACKREST**

STR030300	○ Omit Backrest Upholstery	<i>(Chair supplied with NO back upholstery option)</i>	
STR030301	○ Tension adj. sling backrest (48cm /19" height)	<i>(2.5cm up and down adjustment, with std foam cushion only)</i>	
Backrest Height Setting	BH46* ○ 46cm (18")	BH485 ○ 48.5cm (19")	BH51 ○ 51cm (20")
* Not available with manual or power reclining back			
SB43886	□ Solid covered backrest	<i>(Available via B4me department)</i>	POA
Backrest Height Setting	○ 50cm (19.5")	○ 57cm (22.5")	

**JAY SHAPE BACKREST - MAX USER WGT 135KG**

*(Premium tension adjustable backrest upholstery - Not available on SW 51cm)*

JAY080001	□ JAY SHAPE Backrest	<i>(Not available in 51cm Seat Width)</i>	175
JAY080002	□ JAY SHAPE Backrest - Oversized (Supplied 1" larger than seat width to allow greater immersion)	<i>(N/A in 48 or 51cm Seat Width)</i>	175
Back Height Setting	BH46 ○ 46cm (18")	BH485 ○ 48.5cm (19")	BH51 ○ 51cm (20")
	BH535 ○ 53.5cm (21")	BH56 ○ 56cm (22")	BH585 ○ 58.5cm (23")
JAY080010	□ JAY SHAPE Lateral Thoracic supports (Pair) - Support 15 x 15 cm (Pair)		175
JAY080011	□ JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)		175

**JAY COMFORT BACKRESTS**

JCL030004	□ Shallow contour (standard velour) - 50cm back height	<i>(hard back)</i>	139	
JCL030008	□ Shallow contour (standard velour) - 57cm back height	<i>(vertical elastic straps)</i>	202	
JCL030006	□ Shallow contour (standard velour) - 57cm back height	<i>(horizontal tension adjustable straps)</i>	202	
JCL030012	□ Deep contour - passive - 57cm back height	<i>(horizontal tension adjustable straps)</i>	<i>(4" Integrated lateral support)</i>	234
JCL030010	□ Deep contour - active - 57cm back height	<i>(horizontal tension adjustable straps)</i>	<i>(4" integrated lumbar lateral support)</i>	234

**LATERAL SUPPORTS**

STR030601	□ Lateral supports short (pair)	<i>(Recommended for TA backrests)</i>	248
STR030602	□ Lateral supports long (pair)	<i>(Recommended for JAY Comfort backrests)</i>	248

**JAY3 BACKRESTS**

J3 Back - Shallow Contour							
Upper Thoracic:	□ JAY030012	Short - 42 cm	□ JAY030019	Medium - 46 cm	□ JAY030025	Tall - 50 cm	520
Shoulder Height:	□ JAY030015	Short - 53 cm	□ JAY030022	Medium - 57 cm	□ JAY030028	Tall - 61 cm	520
J3 Back - Mid Contour							
Upper Thoracic:	□ JAY030013	Short - 42 cm	□ JAY030020	Medium - 46 cm	□ JAY030026	Tall - 50 cm	520
Shoulder Height:	□ JAY030016	Short - 53 cm	□ JAY030023	Medium - 57 cm	□ JAY030029	Tall - 61 cm	520
J3 Back - Deep Contour							
Upper Thoracic:	□ JAY030014	Short - 42 cm	□ JAY030021	Medium - 46 cm	□ JAY030027	Tall - 50 cm	570
Shoulder Height:	□ JAY030017	Short - 53 cm	□ JAY030024	Medium - 57 cm	□ JAY030030	Tall - 61 cm	570
J3 Back - Posterior Deep Contour							
Upper Thoracic:	□ JAY030031	Medium - 46 cm					570
Shoulder Height:	□ JAY030032	Short - 53 cm					570

**JAY3 HEADRESTS**

JAY030006	□ Jay Std. Headrest (J3EUHDXH & J3EUHDLSP)	<i>(only with J3 backs)</i>	117
JAY030004	□ Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP)	<i>(only with J3 backs)</i>	217

● = Standard    ○ = No cost option    □ = Cost option		£
<b>STANDARD HEADRESTS</b>		
STR030416	□ Comfort headrest (Winged style with adj. side pads) <i>(Mounted via push handles)</i>	158
STR030417	□ Curved headrest (23 x 11cm / 9" x 4.5" pad) <i>(Mounted via push handles)</i>	158
JCL040001	□ Jay Comfort: standard comfort seating headrest <i>(Mounted via Comfort backrest)</i>	178
JCL040002	□ Jay Comfort: flexible comfort seating headrest (winged style) <i>(Mounted via Comfort backrest)</i>	201
<b>ARMRESTS</b>		
STR040122	○ Flip-up armrest (height, angle adjustable) <i>(Height Angle and depth adjustable via outside of armrest)</i>	
STR040127	□ Reclining flip-back armrest <i>(Armrest stays level when backrest Reclines)</i>	155
STR040126	□ Single post armrest <i>(2" inward width adjustment via sideguard and armpad / 4" depth adjustment via sideguard)</i>	196
<b>ARMPADS</b>		
STR040112	○ Standard Armpad - 385 x 60mm pad	
STR040113	□ Contoured Armpads 41cm (16")	52
STR040114	□ Jay Comfort Padded Armpad 35cm (13.5")	103
STR040118	□ Jay Comfort P-Shaped Padded Armpad 35cm (13.5") <i>(Only available with Single Post Armrest)</i>	144
STR040119	□ Hemi Armpad (Medium forearm pad & Small hand Pad) 28cm (11") Pad 11 x 18cm (4.5" x 7")	371
<b>POSITIONING ITEMS</b>		
STR030604	□ Lateral Thigh Guide/Support <i>(4" Depth adjustment / 2" inward width adjustment)</i> <i>(Not available with Single post Armrest)</i>	144
STR030605	□ Pommel <i>(Height / depth adj. / Quick release removable)</i> <i>(Not available with centre mount legrests)</i>	175
<b>LEGRESTS &amp; FOOTPLATES</b>		
STR050040	○ Standard hanger receivers <i>(Comes standard, with 70 degree s/a hangers, not with Uni style)</i>	
STR050041	○ Offset hanger receivers <i>(20mm outwards offset each side, comes std with all ELR and ALR hangers, not with Uni style)</i>	
STR050015	○ 70° swing-away legrests	
XL0025	○ Uni style hangers and footplates <i>(Available via B4M - (LLL 32-47cm (12.5"-18.5"). Not available with 0° tilt options)</i>	
STR050016	□ Manual elevating legrest	246
STR050017	□ Powered elevating legrest	453
STR050018	□ Powered articulating legrest	645
STR050036	● Extension Tube - (Lower leg length: 34cm - 48cm / 13" - 19") <i>(measured from seat pan to footplate)</i>	
<b>OPTIONS FOR MANUAL AND POWER ELEVATING LEGRESTS</b>		
STR050038	□ Comfort calf pads <i>(Not available with centre mount or 70° legrests)</i>	93
STR050039	□ Auto connector hanger receivers	110
<b>FOOTPLATES (FOR SWING AWAY LEGRESTS)</b>		
STR050022	○ Aluminium angle and depth adjustable	
STR050023	□ Footboard (flip-up) <i>(Only available with 70° swing-away legrests)</i>	110
<b>VR2 CONTROLS (70A ON 6KPH, 90A ON 10KPH)</b> <i>(Max 2 powered seat options - for more than 2 powered options choose R-net)</i>		
SAL030050/1	○ VR2 remote <i>(Remote type selected according to options chosen)</i>	
STR110020	□ VR2 attendant only <i>(For attendant only VR2 controls option above must be selected also)</i>	87
STR110021	□ VR2 dual control <i>(mounted RH)</i> <i>(For dual control VR2 remote must be selected also)</i>	411
<b>R-NET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5)</b>		
STR110015/6	□ R-net LED remote <i>(Remote type selected according to options chosen)</i>	424
STR110017	□ R-net colour LCD remote <i>(Integrated colour display with 2 stereo jack inputs for buddy buttons)</i>	551
STR110020	□ R-net attendant only (mounted RH) <i>(For attendant only R-net LED/LCD remote must be selected also)</i>	87
STR110021	□ R-net dual control (mounted RH) <i>(For dual control R-net LED/LCD remote must be selected also)</i>	411
SAL090062	□ Swing-away tray mounted centre control <i>(R-Net LED as standard , VR2 via B4M)</i>	396
SAL090068	□ R-net Bluetooth control module <i>(Compatible with Windows PC and Android systems only)</i>	575
B4M	□ Gyro Control	200
<b>CONTROL MOUNTING OPTIONS</b>		
	Parallel swing-away controller mount    STR110052    RH    ○    ○    LH    STR110053	
SAL090062	□ Swing-away tray mounted centre control R-NET LED <i>(Mounted RH Flip Away)</i>	396
SAL110143	□ Swing-away tray mounted centre control R-NET LCD <i>(Mounted RH Flip Away)</i>	1460
B4M	□ Centre Bar flip-up controller mount <i>(B4M Option / (Mounted RH Flip away)</i>	POA
<b>LIGHTS &amp; INDICATORS</b>		
SAL110201	□ LED lights & indicators (STVZO APPROVED)	359
SAL020001	□ LED lights & indicators - Standard	359

● = Standard

○ = No cost option

□ = Cost option

£

**KERB CLIMBER**

SAL090038	<input type="checkbox"/>	Kerb climber	148
-----------	--------------------------	--------------	-----

**WHEELS & CASTORS****STANDARD CASTORS**

SAL080307	<input type="radio"/>	9" solid castors	
SAL080308	<input type="radio"/>	10" solid castors	
SAL080309	<input type="radio"/>	10" pneumatic castors	

**STANDARD REAR WHEELS**

SAL070029	<input type="radio"/>	12.5" solid drive wheels	(60cm / 24" overall chair width - Use only with 9" castors)	
SAL070030	<input type="radio"/>	12.5" pneumatic drive wheels	(60cm / 24" overall chair width - Use only with 9" castors)	
SAL070031	<input type="radio"/>	14" solid V-type drive wheels	(61cm / 24.5" overall chair width)	
SAL070032	<input type="radio"/>	14" pneumatic V-type drive wheels	(61cm / 24.5" overall chair width)	
SAL070033	<input type="checkbox"/>	14" solid knobby drive wheels	(62cm / 25" overall chair width)	77
SAL070034	<input type="checkbox"/>	14" pneumatic knobby drive wheels	(62cm / 25" overall chair width)	77

**MOTOR SPEED**

SAL100602	<input type="radio"/>	3.2kph (2mph indoor setting)	(6kph motor with reduced speed via programming)	
SAL100601	<input type="radio"/>	6kph (4mph) 2 Pole Motors		
SAL100603	<input type="checkbox"/>	10kph (6mph) 2 Pole Motors	(Lights and rear review mirror required by law)	246
SAL100604	<input type="checkbox"/>	10kph (6mph) 4-pole High Torque Motors	(Lights and rear review mirror required by law)	304

**COLOUR**

SAL140001	<input type="radio"/>	White	
SAL140003	<input type="radio"/>	Blue	
SAL140002	<input type="radio"/>	Red	

**BATTERIES**

SAL160001	<input type="radio"/>	60Ah gel batteries	SAL160002	<input type="checkbox"/>	70Ah gel batteries	103
-----------	-----------------------	--------------------	-----------	--------------------------	--------------------	-----

**CHARGER**

SAL160100	<input checked="" type="radio"/>	8A Charger	
-----------	----------------------------------	------------	--

**ACCESSORIES**

SAL090000	<input checked="" type="radio"/>	Transportation tie down points		
SAL090005	<input checked="" type="radio"/>	Adjustable lap strap		
SAL090040	<input type="checkbox"/>	Swing-away tray table 41- 48cm	158	
SAL090041	<input type="checkbox"/>	Swing-away tray table 46 - 51cm	158	
SAL090069	<input type="checkbox"/>	Bluetooth USB mouse receiver	(if there is no Bluetooth function on the computer)	61
SAL090067	<input type="checkbox"/>	Rear view mirror	35	
SAL090003	<input type="checkbox"/>	Crutch holder	55	

**TRANSPORTATION OPTIONS**

SAL090039	<input checked="" type="radio"/>	Prepared for Dahl docking station option	
-----------	----------------------------------	--	--

<b>QUICKIE SALSA R<sup>2</sup> BASE PRICE</b>	<b>£3,863</b>
Option Price	£
VAT	£
<b>Total Price</b>	<b>£</b>

● = Standard

○ = No cost option

□ = Cost option



			£
<b>R-NET SPECIAL CONTROLS</b> <span style="float: right;"><i>(R-NET OMNI required; 2 buddy buttons recom.)</i></span>			
STR110101	<input type="checkbox"/>	R-Net OMNI colour display & special control input module	796
STR110102	<input type="checkbox"/>	OMNI in scanning mode <span style="float: right;"><i>(c/w 10 assignable functions through DB9 interface)</i></span>	796
<b>Front control mountings</b>			
STR110110	<input checked="" type="checkbox"/>	R-NET OMNI Flexi mount only	
	<b>Left</b>	<b>Right</b>	
	STR110121    ○	○    STR110122	
<b>SPECIAL JOYSTICKS AS HAND CONTROL</b> <span style="float: right;"><i>(R-NET OMNI required; 2 buddy buttons recommended.)</i></span>			
STR110130	<input type="checkbox"/>	Switch-It Versaguide proportional joystick as hand control	1539
STR110131	<input type="checkbox"/>	Switch-It Micro Guide as hand control	2069
STR110132	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as hand control	2281
<b>Mounting</b>			
STR110150	<input type="checkbox"/>	Fixed front mount	
STR110151	<input type="checkbox"/>	Swing-away front mount	54
	<b>Left</b>	<b>Right</b>	
	STR110161    ○	○    STR110162	
	STR110101		STR110131
	STR110130		STR110132
<b>SPECIAL HEAD RELATED INPUT DEVICES</b> <span style="float: right;"><i>(if you have already chosen a standard headrest then switch-It head array is not possible)</i></span>			
STR110133	<input type="checkbox"/>	Switch-It 3 switch head array / adult <span style="float: right;"><i>(5 switch and other versions available via B4M)</i></span> <span style="float: right;"><i>(OMNI required, 2 BB recommended)</i></span>	3130
STR110134	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as chin control <span style="float: right;"><i>(OMNI required, 2 BB recommended)</i></span>	2281
STR110135	<input type="checkbox"/>	Proportional chin control <span style="float: right;"><i>(proportional joystick; OMNI required; 2 BB recommended)</i></span>	796
STR110136	<input type="checkbox"/>	Sip & Puff control <span style="float: right;"><i>(tube and mouthpiece; OMNI required; 2 BB recommended)</i></span>	266
STR110137	<input type="checkbox"/>	Switch-It Micro Guide as chin control <span style="float: right;"><i>(OMNI required, 2 BB recommended)</i></span>	2069
STR110138	<input type="checkbox"/>	Switch-It proportional head control <span style="float: right;"><i>(OMNI required, 2 BB recommended)</i></span>	2918
STR110139	<input type="checkbox"/>	Switch-It Versaguide proportional joystick as chin control <span style="float: right;"><i>(OMNI required, C/W Switch-It flex switch kit)</i></span>	1645
	STR110139		STR110133
<b>CHIN CONTROL / SIP AND PUFF SWING-AWAY MOUNTING OPTIONS</b>			
STR110152	<input type="checkbox"/>	Manual s/a option	207
	<input type="checkbox"/>	Powered s/a option (select type below) <span style="float: right;"><i>(not available with forus attendant control; s/a operation through separate switch)</i></span>	
	<b>Left</b>	<b>Right</b>	
	STR110161    ○	○    STR110162	
STR110153	<input type="checkbox"/>	Operated with Piko button <span style="float: right;"><i>(operated via one Piko button - select colour below)</i></span>	1539
STR110154	<input type="checkbox"/>	Operated with ribbon switch	1645
	Powered swing-away chin option		Piko buttons
<b>PIKO BUTTONS ( Ø 3 cm)</b>			per switch
STR110191	<input type="checkbox"/>	Red    x 1	77
STR110193	<input type="checkbox"/>	Green    x 1	77
STR110195	<input type="checkbox"/>	Yellow    x 1	77
STR110197	<input type="checkbox"/>	Blue    x 1	77
STR110192	<input type="checkbox"/>	Red    x 2	77
STR110194	<input type="checkbox"/>	Green    x 2	77
STR110196	<input type="checkbox"/>	Yellow    x 2	77
STR110198	<input type="checkbox"/>	Blue    x 2	77

## JAY COMFORT SEAT OPTIONS & ACCESSORIES

**JAY** COMFORT

### Seat pan, with 5cm (2") threshold



Upholstered wooden seat board complete with 5cm (2") front and rear threshold. Ideal for supporting air filled cushions.

### Standard comfort cushion



This cushion has a 12mm (1/2") beech wood base with a slightly contoured foam cushion, featuring a 2cm (3/4") seat angle designed to aid client in front transfers.

### Optimum comfort cushion



The Optimum comfort cushion provides additional contouring and support for increased user positioning. A built-in pommel, thigh guides and a seat well for optimum comfort and positioning.

### Shallow contour backrest

Hard back, vertical strap or tension adj. straps



Anatomically shaped with a shallow contour and padded for extra comfort. Available as a solid wooden backrest, vertical strap option or with tension adjustable straps for posture management. Solid back height 50cm, vertical strap back and tension adjustable height 57cm.

### Deep contour backrest - active



This back features tension adjustable straps for posture management and a 4" deep contour providing integrated lateral support around the lower back, tapering away at the shoulders so as not to restrict active users. - 57cm back height

### Deep contour backrest - passive



Similar to the Deep Contour active backrest, this features tension adjustable straps and a 4" deep contour continuing up the whole of the backrest, ideal for clients with restricted movement. - 57cm back height