



	ne: eet: vn: lail: er d	late: se or Fax	numbe	r: +44 (0)845 rs@sunmed	l.co.uk	<u>Fax</u> 9				ON	EOI	FTH	1 1	Nar Stre Tow E-M Tel: Mar	eet: vn: lail: ked ER V sh te	for: WEI	land	l pas			Postal code: Fax: kg out tie down brackets
	Н	Ma.	ximum	Generati user weig price £229	ht 125kg	-		s	Fix (no	rear s ced	He um L welc seat ho ntre of d an	liu Iser Ied eight a	[•] WEI axle adjusti ity adji adji	Pro ight e po ment & ustme	125 sitic & +/- 1	on Icm	k			Fix rear -4° -2° 0° (% +2° +4°	HUM030016 Helium Pro aximum user weight 100kg (ed welded axle position seat height adjustment & +/- 1cm centre of gravity adjustment) ed welded backrest set at* (86°) (88°) 90°) □ £448 (92°) Figures in brackets are angle to (94°) ground t choose Oval Shaped Backrest
										CL	IEN [.]	ТΜ	EAS	SUR	EME	ENT	•				
Seat depth in cm	3 3 3 4 4 4 4	at w 34 36 38 10 12 14 16 18	idth ir 32 0 0 0 0 0 0 0 0	Cm (me 34 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0 -	easured f 36 0 0 0 0 0 0 0 0 0 0 0 0 0		outs 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 () () () () () () () () () () () () ()	0 > > > > > >			4	side	4		be)				of the back - All and <u>High</u> low sho min	ease note the procedure ne measurement is from the k measurements are in cm without a cushion <u>n frame</u> is 4cm higher than <u>frame</u> and you can choose rter and lighter forks to imise the weight of your elchair. See next page
						Fro	nt se	at h	eiah	t in d	cm										Your rear seat height can only be
				jth x Width)	Frame	43	44	45	0	47		49	50	51	52	53	54	55	56	57	between 0cm and 13cm below your front seat height:
	3"		mm mm		Low High	0	0	0	_	0	0	0									i.e. rear seat height CANNOT be
	4"	111 123 Frog 111 123	mm (1) mm (2 g Leg (2 mm (1) mm (2))	Low		0	0 0	0	000000000000000000000000000000000000000	0 0 0		00	0 0	0						i.e. rear seat height CANNOT be above front seat height CANNOT be more than 13cm below front seat height. - More info, see page 2
Front Castor	5"	111 123 Frog	g Leg (2 mm (1) mm (2) g Leg (2 mm (1))	Low				0	0	0	0	0	0	0 0 0	0					# 4" & 5" soft roll and 5" & 6" soft solid are only available with a 45 mm fork <i>Carbotecture</i>
	6"	123 Frog 123	mm (2) g Leg (2 mm (2) g Leg (2)	High Low						0	0	0	0	0	0		0	0		Carbotecture 111mm
	0	123	mm (2)								0	0	0			6					
		Also) le as one arn with Power-A	-		hoose	e the	fork	type	on p	age 4	4							0	One arm design 111mm

e																				-			
, je			height							-	· · · ·	r	r	-		djustal	ble +/	- 1cm	on ea	ach ch	hair. Ex	cludes H	lelium P
N N	Whe		37* 38 ³		-	41	42	43	44	45	46	47	48	49*	50*								
Rear wheel	24		0 0		0	0	0	0	0	0	0	0	0	0									
Ľ.	25		0		0	0	0	0	0	0	0	0	0	0	0								
					-	-		eat height no														Г	
						asing i	rear se	at height not	t possibi	le in 490	cm (24"	wheel)) and 5	0cm (25	5" whee	l).							£
			T UPHO																				
	-		sling st		d																		
UM020002	0		1 utility ba	-												(1)							
UM020003			2 utility ba	<u> </u>												(1)				,		V 36cm)	43
UM020004			1 utility ba	-			-									(1)			(only fr	rom SV	V 36cm)	68
UM020010					le - Ai	rflow	/ (use	er weigh	t limi	t 100	(g)					(1)							162
UM020005		With	1 utility ba	ag												(1)							201
UM020006		With	2 utility ba	ags											(1)		(0	only fro	om SV	V 36cn	n Max	100Kg)	227
UM020007		With	1 utility ba	ag and	1 cath	eter b	ag								(1)		(0	only fro	om SV	V 36cn	n Max	100Kg)	254
UM020000	0	Witho	ut seat s	ling																			
		Jay (Jushion	s - for	comp	lete	prod	uct rang	e see	Jay	order	forn	ns										
A <i>Y020002</i>		JAY E	lasic																				50
A <i>Y020003</i>		JAY S	Soft Com	bi P																			70
AY020001		JAY E	asy Visc	o, Curv	/ed Ba	se																	120
AY020007		JAY E	asy Fluid	d, Curv	ed Bas	е																	280
4 <i>Y020004</i>		JAY L	.ite																				195
		Seat	cushion	black (cover	comp	osite	foam															
		a) Fo	am comp	osite	Thick	iness		HUM020	101			3cm		HUM	02010)2		5cm			(n	nedium)	55
		b) La	ex		Thick	iness		HUM020	103			5cm		HUM	02010)4		8cm			(ve	ery soft)	55
		Seat	sushion	with w	ater re	sista	nt / b	reathable	cove	r													
		a) Fo	am comp	osite	Thick	iness		HUM020	105			3cm		HUM	02010)6		5cm	1		(n	nedium)	104
		b) La	ex		Thick	iness		HUM020	107			5cm		HUM	02010)8		8cm			(Ve	ery soft)	104
		Seat	accesso	ries																			
UM090018		Positi	oning bel	lt with lo	ock																		35
IUM020150		Spare	cushion	cover	with zip	per																	37
	BAC	KRES	Т																				
UM030001	0	Stand	lard bacl	krest					25	- 30		30	- 35		35 -	40		4	0 - 4	5			
		Back	height fa	actory	setting	g at (o	:m)		0	25		0	30		0	35		0		40			
									0	27.5		0	33		0	37.5		0) 4	12.5			
									0	30		0	35		0	40		0)	45			
UM030003			-		st (Non	Heigh	t adjus	table and p	olease p	oick bar		-	-										
			□ 27.5		30		32.5		35			37.5			40			42.5	5			45	195
UM030403	0	Stabi	izer bar s	setting	close (9.2cm)	HUM03040	04 O	Stab	oilizer	bar se	etting	wide (12.4c	m)	(0	listanc	e awa	ay fron	n the ba	ackrest)	
UM030015	0	Back	angle adj	justable	e foldal	ole											(-31°	to +15	5°; onl	ly in bl	lack an	odizing)	
IUM030012	0	Angle	adjustab	ole bacl	k (non i	folding	g)										(-31°	to +15	5°; onl	ly in bl	lack an	odizing)	
		Doub	e locking	(angle	e adjust	able a	and fo	olding, locl	ks in f	olded	positi	on)			(-31°	to +15°	anod	ised co	olour d	options	s on las	st page)	45
UM030102		Back	est width	ONE s	size sm	aller	han s	standard (·	-2cm l	ess th	an the	e seat	t width	n)			(not a	vailabl	le with	n Free	style ba	ackrest)	129
UM030103																							
UM030103			IDLES																				
UM030103 UM030200	0	Omit	IDLES push han	dles				(2)															
UM030103 UM030200 UM030201	0 0	Omit Long	push han		les			(2)								(onlv	availa	ble fra	om 32.	.5cm s	standar	rd back)	108
UM030103 UM030200 UM030201 UM030203	0	Omit Long Fold-		h hand				(2) (2)								(only	availa	ble fro				rd back) le back)	
UM030103 UM030200 UM030201 UM030203 UM030211 UM030204	0 0 0 0	Omit Long Fold- Remo Heigh	oush han down pus wable pu t adjusta	h hand sh han ble pus	dles sh hanc			(2)					(not p	ossible	with OS				(only	with F	reesty		144 144
UM030103 UM030200 UM030201 UM030203 UM030211	0 0 0	Omit Long Fold- Remo Heigh	oush han down pus wable pu	h hand sh han ble pus	dles sh hanc		or Jay	(2)					(not p	oossible	with OS				(only	with F	reesty	le back)	144 144
JM030103 JM030200 JM030201 JM030203 JM030211 JM030204 JM030205		Omit Long Fold- Remo Heigh Heigh	oush han down pus ovable pu t adjusta t adjusta	h hand sh han ble pus ble pus	dles sh hanc sh hanc	lles fo		(2)								SB (406			(only	with F	reesty	le back)	108 144 144 144

Backrest shell height 24cm (backheight 275 - 350 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Shallow Contour	£ 124 500 600			
IUM030316 Colour binding tape: O Black O range Silver O Red O Blue IUM03037 EXO PRO backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black O Red O Blue IUM030370 EXO PRO backrest sling, synthetic fibre, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black Blue O Colour binding tape: Black Orange Silver Red Blue IUM030300 Without backrest upholstery Black Orange Silver Red Blue FREESTYLE BACK, ANGLE ADJUSTABLE, FOLDABLE (not crash tested) IUM030089 Freestyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm)	500			
UM030317 EXO PRO backrest sling, synthetic fibre, padded, adjustable, breathable, spear fabric, 1 accessory bag, black Colour binding tape: Black Orange Silver Red Blue UM030300 Without backrest upholstery Red Blue Blue FREESTYLE BACK, ANGLE ADJUSTABLE, FOLDABLE (not crash tested) (in frame colour) UM030089 Freestyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 37cm - can be used from SW 38cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 38cm (backheight	500			
Colour binding tape: Black Orange Silver Red Blue INVERTIGE RACK, ANGLE ADJUSTABLE, FOLDABLE (not crash tested) INVERTIGE RACK ANGLE ADJUSTABLE, FOLDABLE (not crash tested) INVERTIGE RACKESTS INVERTIGE RACKESTS INVERTIGE RACKESTS Shallow Contour	500			
IUM030300 Without backrest upholstery FREESTYLE BACK, ANGLE ADJUSTABLE, FOLDABLE (not crash tested) IUM030089 Freestyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour) 0 Backrest shell height 31cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 34cm (backheight 325 - 425 mm) 0 Backrest shell width 32cm - can be used from SW 34cm (backhei	500			
FREESTYLE BACK, ANGLE ADJUSTABLE, FOLDABLE (not crash tested) UM030089 Freestyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour) O Backrest shell height 31cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 42cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 34cm (backheight 325 - 425 mm) O Backrest shell widt				
UM030089 Freestyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour) O Backrest shell height 31cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 38cm (backheight 275 - 350 mm) UM030090 Freestyle back, J3 Carbon backrest shell, shallow contour (SC) (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 44cm (backheight 325 - 425 mm) O Backrest shell width 42cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 44cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 44cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Backrest Shell width 42cm - can be used from SW 44cm Bac				
UM030089 Freestyle back, J3 Aluminium backrest shell, shallow contour (SC) (in frame colour) O Backrest shell height 31cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 38cm (backheight 275 - 350 mm) UM030090 Freestyle back, J3 Carbon backrest shell, shallow contour (SC) (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 44cm (backheight 325 - 425 mm) O Backrest shell width 42cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 44cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 44cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Backrest Shell width 42cm - can be used from SW 44cm Bac				
 Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Freestyle back, J3 Carbon backrest shell, shallow contour (SC) Backrest shell height 24cm (backheight 275 - 350 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 42cm - can be used from SW 34cm 				
Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell height 24cm (backheight 275 - 350 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 32cm - can be used from SW 38cm Backrest shell width 32cm - can be used from SW 38cm Backrest shell width 32cm - can be used from SW 38cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 42cm - can be used from SW 32cm Backrest shell width 42cm - can be used from SW 32cm Backrest shell width 42cm - can be used from SW 32cm Backrest shell width 42cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm	600			
Backrest shell width 37cm - can be used from SW 38cm Freestyle back, J3 Carbon backrest shell, shallow contour (SC) Backrest shell height 24cm (backheight 275 - 350 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS biallow Contour AY3 Back - Shallow Contour	600			
UM030090 Freestyle back, J3 Carbon backrest shell, shallow contour (SC) (backheight 275 - 350 mm) O Backrest shell height 24cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 37cm - can be used from SW 38cm (backheight 325 - 425 mm) O Backrest shell width 42cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 38cm (backheight 42cm - can be used from SW 44cm JAY BACKRESTS JAY BACKRESTS ihallow Contour AY3 Back - Shallow Contour	600			
UM030090 Freestyle back, J3 Carbon backrest shell, shallow contour (SC) (backheight 275 - 350 mm) O Backrest shell height 24cm (backheight 275 - 350 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 275 - 350 mm) O Backrest shell width 37cm - can be used from SW 38cm (backheight 325 - 425 mm) O Backrest shell width 42cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 32cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 32cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 38cm (backheight 325 - 425 mm) O Backrest shell width 37cm - can be used from SW 44cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Shallow Contour AY3 Back - Shallow Contour	600			
 Backrest shell height 24cm (backheight 275 - 350 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 37cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm 				
 Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm 	_			
 Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm 	_			
Backrest shell width 42cm - can be used from SW 44cm Backrest shell width 31cm (backheight 325 - 425 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Shallow Contour AY3 Back - Shallow Contour	_			
 Backrest shell height 31cm (backheight 325 - 425 mm) Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Shallow Contour IAY3 Back - Shallow Contour	_			
Backrest shell width 32cm - can be used from SW 32cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Shallow Contour AY3 Back - Shallow Contour	_			
Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 38cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm - can be used from SW 37cm Backrest shell width 37cm Backrest shell width 37cm Can be used from SW 37cm Backrest shell width 37cm Can be used from SW 37cm Backrest shell width 37cm Can be used from SW 37cm Backrest shell width 37cm Can be used from SW 37cm Backrest shell width 37cm Can be used from SW 37cm Backrest shell width 37cm Can be used from SW 37cm Backrest shell width 37cm Can be used from SW 37cm Data 50 cm (AV300002) Tall S0 cm (AV300002) Tall S0 cm (AV300002) Tall S0 cm (AV300002) Tall S0 cm (AV300002) S0 JAY 3 Back Mid Contour JAY 3 Back Mid Contour JAY 3 Back Mid Contour JAY 3 Can benchest (J3EUHDKP) (JAY300002) S0 JAY 3 Can benchest (J3EUHDKP) (JAY300002) JAY 3 Can benchest (J3EUHDKP) (JAY300002) JAY SA Can bench				
Backrest shell width 42cm - can be used from SW 44cm JAY BACKRESTS Shallow Contour AY3 Back - Shallow Contour	_			
JAY BACKRESTS Shallow Contour IAY3 Back - Shallow Contour				
Shallow Contour IAY3 Back - Shallow Contour				
Shallow Contour JAY3 Back - Shallow Contour				
IAY3 Back - Shallow Contour				
Ald I horacic: Medium - 34 cm (JAY030010) Tall - 38 cm (JAY030033)				
уррен пютасис: ⊔ Блоп - 42 cm (JAY030012) ⊔ Medium - 46 cm (JAY030019) ⊔ Tall - 50 cm (JAY030025)	520			
AY3 Back - Mid Contour				
	460			
AY3 Carbon - Shallow Contour				
.ow Thoracic: Short - 17cm (JAY060001) Tall - 24 cm (JAY060002)	550			
Mid Thoracic: Image: Short - 30cm (JAY060003) Image: Tall - 32 cm (JAY060004)	550			
IAY3 Accessory bag				
AY090058 🛛 J3 Accessory Bag	45			
	000			
Artosooo L Jay Std. Headrest (JSEOHDAFT & JSEOHDESF)	120			
SIDE GUARDS & ARMRESTS				
	170			
	148			
TUM040103 🗆 Fender side guard - aluminium (min seat height 39cm)	204			
-TUM040104 🛛 Fender side guard - carbon (min seat height 39cm	266			
-UM040107 Delastic detachable side guard (Quickie style)	138			
HUM040108 🛛 Tubular armrest, Aluminium, swing away (sideways), padded, removable (4) (not in combination with handbike axle)	171			
Single post armrest with: (Quickie style; not with tubular armrest)				
	170			
1UM040000 O Without side guard				
I ubular lootrest lightweight with flat COVEr (lower leg length 36cm - 52cm) (lower leg length 36cm - 52cm)				
	125			
1UM050025 D Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm)	105			
HUM050025 □ Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 □ Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm)				
HUM050025 □ Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 □ Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 □ Platform footplate lightweight angle & depth adjustable carbon (lower leg length 36cm - 52cm)	256			
IUM050025 □ Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) IUM050024 □ Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) IUM050026 □ Platform footplate lightweight angle & depth adjustable carbon (lower leg length 36cm - 52cm) IUM050026 □ Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) IUM050034 □ Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm)	256 125			
HUM050025 □ Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 □ Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 □ Platform footplate lightweight angle & depth adjustable carbon (lower leg length 36cm - 52cm) HUM050034 □ Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050125 □ Performance footplate angle adjustable (lower leg length between 36cm - 52cm)	256 125			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable)	256 125 187 17			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable)	256 125 187 17 124			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3)	256 125 187 17 124			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (lower leg length 36cm - 52cm) HUM050034 Platform footplate lightweight angle & depth adjustable carbon (lower leg length between 36cm - 52cm) HUM050035 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable) HUM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) LOWER LEG LENGTH (cm) Attention: LLL has to be 3cm less than front seat height. All measurements are in cm	256 125 187 17 124			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (lower leg length 36cm - 52cm) HUM050034 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL 22 - 39cm) HUM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) HUM050022 22 23 24 25 26 27 28 29	256 125 187 17 124			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) HUM050022 C2 C3 C4 C5 C2 C3 C29 O 22 C3 C4 C5 C2 C3 C29 C3 C3 C3	256 125 187 17 124			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050025 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) HUM050022 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q 29 0 32 Q3	256 125 187 17 124			
HUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050125 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL 22 - 39cm) HUM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) HUM050022 C2 23 24 25 26 27 28 29 29 0 30 31 32 33 34 35 36 37 0 38 39 40 41 42 43 44 45 0 46 47 48<	256 125 187 17 124			
IUM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) IUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) IUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) IUM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) IUM050025 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) IUM050125 Performance footplate angle adjustable (lower leg length detween 36cm - 52cm) IUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) IUM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (sideways), frame colour (3) IUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) IUM050022 Q 23 Q 24 Q 26 Q 27 Q 28 Q 29 Q 30 31 32 33 Q 34 Q 35 Q 36 37	256 125 187 17 124			
Image: Constraint of the constraint	256 125 187 17 124			
UM050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) UM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) UM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) UM050034 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) UM050025 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) UM050125 Performance footplate angle adjustable (lower leg length 40cm - 52cm) UM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) UM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (sideways), frame colour (3) UM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) UM050029 22 23 24 25 26 27 28 29 0 30 31 32 33 34 35 36 37 0 38 39 40 41 42 43	256 125 187 17 124			
V100008				
V3 Carbon - Shallow Contour Water Note Contour State V3 Accessory bag J3 Accessory Bag 45 State 45 V3 Accessory Contour Jay Std. Headrest (J3EUHDXH & J3EUHDLSP) (vor) web J3 backs 225 W3 Accessory Bag 125 (vor) web J3 backs 225 W3 Accessory Bag (vor) web J3 backs 226 W3 Accessory Bag (vor) web J3 backs 226 W3 Accessory Bag (vor) web J3 backs 226				
Hull 0050025 Platform footplate lightweight angle & depth adjustable composite (lower leg length 36cm - 52cm) HUM050024 Platform footplate lightweight angle & depth adjustable aluminium (lower leg length 36cm - 52cm) HUM050026 Platform footplate lightweight angle & depth adjustable carbon (LLL 22 - 39cm) HUM050026 Platform footplate lightweight angle & depth adjustable aluminium, high mounted (LLL 22 - 39cm) HUM050027 Performance footplate angle adjustable (lower leg length between 36cm - 52cm) HUM050127 Foot positioning plate (only with platform footplates lightweight angle & depth adjustable, flip-up (to the back) (5) (LLL from 33 cm; not with 6" castors) HUM050128 Footboard, platform, plastic, angle and depth adjustable, flip-up (sideways), frame colour (3) HUM050022 Footboard, divided, aluminium, angle-adjust., flip-up (sideways), frame colour (3) HUM050022 22 23 24 25 26 27 28 29 0 31 32 33 34 35 36 37 0 38 39 40 41 42 43 44 45 0 46 47 48 50 51 <td>256 125 187 17 124</td>	256 125 187 17 124			


OF QUICKIE HELIUM RETAIL 01-10-2016-REV 1

			1	£
HUM010206		IE VERSIONS (first choose frame length, then frame angle and Standard frame	d inset)	
	0		(not in combination with CD 40cm, recommended with nervous costar based position)	
HUM010207	0	Long frame	(not in combination with SD 46cm; recommended with narrow castor house position)	
1.11.11.00.00.00	0	4000 Final frame (11/ 000) (4)		
HUM010012	0	100° Fixed front frame (UK 80°) (1) 20° Defense on fixed front frame (UK 80°) (1)		~-
HUM010013				97
HUM010009		88° Performance compact fixed front frame (UK 92°)	(not available with 1cm inset option)	97
HUM010100				
HUM010101			(not in combination with 88º frame)	
HUM010103		Inset: (3cm) only for frame angle 88° & 92°	(not available for seat width 32 cm)	97
HUM010301	0	Castor house position wide		
HUM010302	0	Castor house position narrow	(only for inset 3cm, not available with 88° performance compact frame)	
HUM010500		Handbike axle (2)	(always 3° more than the std axle camber)	266
	CENT	RE OF GRAVITY (COG)		
	Choos	e only one of the 8 choices	(measured from front of back post in cm)	
COG20	0	2.00cm		
COG32	0	3.20cm		
COG44	0	4.40cm		
COG56	0	5.60cm		
COG68	0			
COG80				
COG92				
COG104			COG 2 0 - 5 6 COG 6 8 - 10 4	
000104	0	10.40011	000 2.0 0.0 000 0.0 10.4	
	FRAM			
HUM090031			(3)	380
HUM090032				380
110101030032			(3)	300
HUM090001				24
HUM090003		5	(not available with ant tin)	45
				43 56
HUM090009			(only in combination with tip assist)	90
		· · · ·		74
HUM090004				74
HUM090006				148
HUM090007		· · · · · · · · · · · · · · · · · · ·	(Pair)	62
			(not in combination with handbike axle)	
HUM090033		Left		113
HUM090008		Right		113
HUM090035		Sport anti-tip, central mount, pluggable	(For use with indoor not contact sports only; e.g. badminton/dancing)	227
HUM090010		Transit wheels (3" wheels)		164
HUM090016		Frame protection		56
	PREF	PARATION FOR ATTITUDE ADD-ON BIKE		
HUM090211		Preparation for ATTITUDE, without ATTITUDE order	(docking pins assembled)	82
HUM090212	0	Preparation for ATTITUDE, with ATTITUDE order	(docking pins assembled; ATTITUDE order separately)	
	FOR	(S		
HUM080013	0	Carbotecture fork	(colours: see colour options on page 6)	
HUM080008		Single arm fork (only 111m	nm length & only with 4" & 5" Alu soft, Alu solid.)(colours: see colour options on page 6)	142
HUM080029	0	Aluminium fork	(colours: see colour options on page 6. Only available in black, orange and silver)	
HUM080007		Frog Leg fork	(only in combination with 4" & 5" solid & all ALU casters; only black)	238
HUM090093		Fork for power add ons, 123mm (Aluminium)	(only in black)	56
		· · · · · ·		
1	CAST	TOR		
HUM080301	0	Solid	(3"-6", not with One arm fork)	
HUM080302	0	Soft	(only 5" and 6", not with One arm fork, for 45 mm fork version only)	
HUM080303		Solid light up	(not available for 6", not with One arm fork)	56
HUM080304		Solid with aluminium rim, colour rim: silver only	(only for 4" and 5", use with one arm fork)	66
HUM080306				66
(4)				
		-	n with carbon sidequards, lightweight seat	
, ,				
	Disc. Standard (Com) 10 Inset: Small (1cm) 11 Inset: Small (1cm) 12 Inset: Small (1cm) 13 Inset: Small (1cm) 14 Castor house position wide 15 Castor house position marrow 16 Castor house position marrow 17 Castor house position marrow 18 Castor house position marrow 19 Handbake axte (2) 19 Castor house position marrow 10 Handbake axte (2) 10 Resured from front of back post in cm) 20 5.80cm 20 5.80cm 21 0.40cm 22.20cm Cost Cost Cost Cost Cost Cost Cost Cost			
	20 B8' Performance compact fixed from frame (UK 92') por evaluates with two have quite 20 Inset: Standard Open) por evaluates with two have quite 21 Inset: Standard Open) por evaluates with two have quite 22 Caster house position unite port evaluates with two have quite 23 Caster house position narrow (ov) for rare tare, not evaluates the with 80' performance compact here 23 Caster house position narrow (ov) for rare tare, not evaluates with evaluate tare 24 Caster house position narrow (ov) for rare tare, not evaluates the stat ack cance 25 Cestor House operation narrow (ov) for rare tare, not evaluates the stat ack cance 26 Caster house operation narrow (ov) for rare tare, not evaluates tare 26 Cestor Cost Cost act narrow (ov) for rare tare, not evaluates tare 27 Statement operation (ov) for rare tare, not evaluates tare (ov) for rare tare, not evaluates with rare tare 28 Statement operation (ov) for rare tare, not evaluates with rare tare (ov) for contribution with rare tare 28 Statement operation (ov) for rare tare, not evaluates with rare tare (ov) for rare tare, not evaluates with rare tare 29			

			£
		REAR WHEELS	
		NOTE: for users with higher user weight than 100kg, we recommend cross spoked wheels	
HUM070001	0	Universal Cross spoked (pair) (only 24")	
HUM070002	0	Design wheel (pair) (only 24")	
HUM070003	0	Lightweight wheel (pair) (Colour anodizing selection for 24" LW wheel on the last page)	
HUM070004		Proton wheel (super lightweight) (pair) (user weight limit 100kg)	406
HUM070005		Spinergy wheels 18 spokes, colour hub: silver (1) (pair) (black spokes; other colours available via B4M)	368
HUM070006		Spinergy wheels 12 spokes, colour hub: silver (1) (pair) (black spokes; other colours available via B4M)	567
HUM070007		Spinergy wheels 12 spokes, colour hub: black (pair) (black spokes; other colours available via B4M)	567
HUM070009		Mountain bike wheel (only with 24", mountain bike tyres & aluminium rim, black coated)	250
HUM070010		Additional mountain bike wheel (pair) (only with 24" & mountain bike tyres)	250
HUM070000	0	Omit rear wheels	
		TYRES (choose only one tyre type)	
HUM070101	0	Right Run (only 24")	
HUM070102	0	Solid tyres (only 24")	
HUM070102			75
HUM070107		Down Town Two Grip (only 24") Schwalbe One (slight puncture protection) (only 24")	75
			75
HUM070104		Marathon plus evolution (puncture resistant)	75
	HAND	RIM	
HUM070201		Aluminium silver powder coated	
HUM070201	0	Aluminium silver powder coaled	
HUM070202	0	Stainless steel	
HUM070204		Aluminium colour powder coated (pick colour for handrim in colour list charged at £52.00)	
HUM070205		Titanium (25" only in combination with Spinergy)	155
HUM070206		Titanium clear powder coated (pick colour for handrim in colour list; 25" only in combination with Spinergy)	155 187
HUM070207		Supergrip (only 24" wheels)	187
HUM070208		Max Grepp (only 24" wheels)	149
HUM070211		Surge [®] LT HUM070317 O Close 12 - 17mm	149
Handrim mo	bunting		
HUM070250		HUM070307 O Extra close 7mm (only with stainl. steel or Surge, only with 24" Design & Univ. wheel) Handrim cover (only 24" wheels)	75
1101010230			75
		TUBE	
HUM010401	0	Standard axle tube	
HUM010402		Carbon axle tube (only for 0° and 3° wheel chamber)	171
	CAM	SER (choose only one option)	
HUM070600	0	0°	
HUM070603	0	3°	
HUM070606	0	6° (not available with carbon axle tube)	
HUM070609	0	9° (not available with carbon axle tube)	
		SPOKE GUARDS	
HUM070831		Transparent (only available in 22", 24" & 26")	103
		Spoke guards Number Description	103
		t page of this order form to choose your selection, or to order a copy of our new	
•		iting www.sunrisemedical.co.uk and navigating to Quickie Helium. You will find	
the brochure	under "o	ocumentation"	
	WHE	EL LOCKS (choose only one option)	
		Standard wheel lock	
HUM060001	0		
		Compact wheel lock (2)	
HUM060003	0		121
HUM060003 HUM060004	0		121 47
HUM060003 HUM060004 HUM060002	0 0 0	Lightweight compact (2) (3) (4) Knee lever wheel lock	47
HUM060002 HUM060010	0 0 0	Lightweight compact (2) (3) (4) Knee lever wheel lock Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002)	47 32
HUM060003 HUM060004 HUM060002 HUM060010 HUM060006	0 0 0 0	Lightweight compact (2) (3) (4) Knee lever wheel lock Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002) One arm wheel lock left Image: Compact text and text	47 32 127
HUM060003 HUM060004 HUM060002 HUM060006 HUM060006 HUM060007	0 0 0 0 0	Lightweight compact (2) (3) (4) Knee lever wheel lock Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002) One arm wheel lock left One arm wheel lock right Extension for knee lever wheel lock left	47 32
HUM060003 HUM060004 HUM060002 HUM060006 HUM060007 (1): only with	O O O O O O O O O O O O O O O O O O O	Lightweight compact (2) (3) (4) Knee lever wheel lock Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002) One arm wheel lock left One arm wheel lock right Aluminium silver powdercoated	47 32 127
HUM060003 HUM060004 HUM060002 HUM060006 HUM060007 (1): only with (2) Not availa	O O O O O O O O O O O O O O O O O O O	Lightweight compact (2) (3) (4) Knee lever wheel lock Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002) One arm wheel lock left One arm wheel lock right Image: Compact	47 32 127
HUM060003 HUM060004 HUM060002 HUM060006 HUM060007 (1): only with (2) Not availa		Lightweight compact (2) (3) (4) Knee lever wheel lock Extension for knee lever wheel lock, slip-on, swing-away (only on HUM060002) One arm wheel lock left One arm wheel lock right Image: Compact	47 32 127

	ACC	ESSORIES								£
HUM090000	0	Tool kit								
HUM090100	0		n brackets - Crasł	n test option				(not availab	le on Helium Pro)	
HUM090017		Snoll on	(1)					(Max us	er weight: 100kg)	454
HUM090024		High pressure							0 0,	62
HUM090025		Air pump								13
HUM090030		Back pack								50
HUM090020		Net back bag								18
HUM090019		Caddy						(not with pl	atform footplates)	50
HUM090026		Mobile phone	pouch							37
HUM090014		Handbike re-e	enforcement tubes	6				(Only w	ith handbike axle)	290
	COL	OURS	Please visit www.	quickiewheelchai	rs.eu/xe	nonsa to choose your colour	s			
		Frame	Handrim	Hub/Rim	(2)		Frame	Handrim	n Hub/Ri	m (2)
			£51	£144				£51	£14	14
01 White RAL 9010		0				26 Silver Texture	0			1
02 Brilliant Silver		0				27 Graphite metallic	0			I
03 Silver Matt		0				28 Platinum metallic	0			I
04 Silver		0				29 Black	0			1
06 Sun Yellow		0				31 Matt Black	0			1
07 Brilliant Lime		0				32 Signal White	0			1
08 Matt Lime		0				33 Pink	0			
14 Blue		0				34 Dark Chocolate Metallic	0			1
15 Brilliant Marine		0				35 Skyblue	0			1
16 Matt Marine		0				36 Cyan-Metallic	0			
19 Brilliant Purple		0				37 Mars Red (Orange)	0			
20 Matt Purple		õ				39 Cappuccino	0			
		0				40 Kiwi	0			
21 Red Ruby		0				41 Flamingo-Glitter	0			
22 Brilliant Red		0				-				
23 Matt Red						42 Matt-Anthracite	0			
24 Tutti Frutti Orange	•					43 Azure Blue	0			
		-	WEIGHT WHE	-						
HUM100336	0	Orange anodi	、 ,	HUM100337	0	Blue anodised (3)				
HUM100338	0	Red anodised	.,	S - -						
11111020025	0		T BRACKET (I				1.11.11.4020020	0	Dive (C)	
HUM030035	0	Black		HUM030037	0	Silver	HUM030039	0	Blue (6)	
HUM030036	0	Orange	0.51/0	HUM030038	0	Red (6)		_		
		CASTOR F	ORKS			01			D.	
HUM080041	0	Black		HUM080042	0	Silver	HUM080045	0	Blue	
HUM080043	0	Orange		HUM080044	0	Red				
			VHEEL (Only s						2	
HUM080311	0	Black		HUM080313	0	Orange	HUM080315	0	Blue	
HUM080312	0	Silver		HUM080314	0	Red				_
	_	STICKERS			-					
HUM100550	0	Black		HUM100552	0	Orange	HUM100554	0	Blue	
HUM100551	0	Silver		HUM100553	0	Red				_
		AXLE STE	M SPACER (N	ot available		elium Pro)				
HUM100560	0	Silver		HUM100562	0	Red				
HUM100561	0	Orange		HUM100563	0	Blue				
		FRAME TR	ANSFERS (Do							
HUM100570	0	Black		HUM100571	0	Silver	HUM100574	0	Blue	
HUM100572	0	Orange		HUM100573	0	Red	HUM100575	0	Matt Black	
(1) Not in combine	ation w	ith performance	footrest and high	mounted footres	st					
(2) Only with univ	versal c	ross spoke rear	wheel							
(3) Anodised co	lours fo	or hub and rim, b	olack spokes. Only	with light weigl	ht whee	el in 24"				
(4) Froglegs for	k and fo	ork for power ad	d-ons (HUM090093) only available	in blac	k. Backrest bracket only in	combination wit	th		
HUM030102	"doubl	e locking back"	in colours, otherw	ise always blacl	с.					
(5) Only with 11	1mm fo	orks (including o	ne-arm fork) in cor	nbination with H	-UM080	0302 Castor, soft or HUM08	80306 Castor soft	with alumini	um rim	
(6) Only with ca	rbotect	ure forks								
Option price	;									

Option price Total Price



Technical Data Overview:

Overall width: Overall width: Max overall height 112 cm Max overall length 91 cm **Overall width with:** For 0° camber: For 3° camber: For 6° camber: **24" rear wheel** SW + 17 cm SW + 23 cm SW + 29 cm **25" rear wheel** SW + 17 cm SW + 24 cm SW + 30 cm

Please note that the matrix is based on a std configuration: **Std chair 40 x 40 cm; 3° camber; 5,60 cm CoG; Seat angle of 8°** All changes in the configuration might change the seat heights. Manufacturing tolerances of +/- 1 cm

Supporting Pictures

Seating








HUM020002 Seat sling with 1 utility bag

HUM020010 Seat sling clip style (air flow) without utility bag



HUM090018 Positioning belt with lock

Backrest



HUM030403 & HUM030404 Stabilizer bar close & wide



HUM030203 Integral pushhandles long



HUM030015 Back angle adjustable foldable





HUM030204 Height adj. Push handles




HUM030316 EXO Pro Backrest upholstery




HUM030317 EXO Backrest upholstery

Supporting Pictures Backrests




Frame inset table (Graphs below are showing an example for SW 34)


					Seat Wi	dth (cm)			
Inset		32	34	36	38	40	42	44	46
0cm	Frame width inside	27	29	31	33	35	37	39	41
UCIII	Frame width castor house	44	46	48	50	52	54	56	58
1cm	Frame width inside	25	27	29	31	33	35	37	39
TCIII	Frame width castor house	42	44	46	48	50	52	54	56
	Frame width inside	NA	23	25	27	29	31	33	35
3cm	Frame width castor house wide	NA	46	48	50	52	54	56	58
	Frame width castor house small	NA	40	42	44	46	48	50	52
					24			34 cm 5	SEAT WIDTH







K



Supporting Pictures Frame Accessories



HUM090032 Suspension



HUM090001 Tip assist - left HUM090002 Tip assist - right HUM090003 Tip assist - pair



HUM090004 Anti-tip tubes SA- left HUM090005 Anti-tip tubes SA - right HUM090006 Anti-tip tubes SA - pair



HUM090007 Quickie style anti-tip tubes pluggable



HUM090033 Anti-tip filp-up (user operated) - left HUM090008 Anti-tip filp-up (user operated) - right

F

HUM090035 Sport anti-tip, central mount, pluggable

HUM090010 Transit Wheels



HUM090016 Frame Protection

Rear Wheels



HUM070001 Universal Cross spoked







HUM070004 Proton Wheel (super lightweight)



HUM070005 Spinergy Wheel - 18 spokes HUM070006 Spinergy Wheel - 12 spokes

<u>Tyres</u>















HUM070104 Marathon plus evolution (puncture resistant)



HUM070003 Rear wheel lightweight , 24", colour choice on the last page



HUM070002 Design Wheel





HUM100501-05 Coloured forks as part of the style package in combination with HUM080305 Castor soft with aluminium rim, coloured

OF QUICKIE HELIUM RETAIL 01-10-2016-REV 1

HUM070003 Lightweight wheel

NoGo Matrix for Lightweight Compact Brake

Seat height values are valid with 56mm COG, seat depth 400mm and 8° seat angle,

axle stem assembled with one spacer

24"					F	ront	Seat	Heig	ht							25"					Fr	ont S	eat I	leigh	t					
Cog/ SH	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	Cog/ SH	43	44	45	46	47	48	49	50	51	52	53	54	55	56
2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	2	~	~	~	~	~	~	~	~	✓	~	~	✓	~	~
3.2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	3.2	~	~	~	~	~	~	~	~	✓	~	~	✓	~	~
4.4	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	4.4	~	~	~	<	~	~	~	~	~	~	~	✓	\checkmark	~
5.6	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	5.6	~	~	~	<	~	~	~	~	~	~	~	\checkmark	\checkmark	~
6.8	✓	~	✓	✓	~	~	~	~	~	~	~	~	~	~	✓	6.8	~	~	✓	~	✓	~	✓	~	~	✓	~	✓	✓	~
8	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	8	~	~	~	<	~	~	~	~	~	~	~	✓	✓	~
9.2	~	~	~	~	~	~	✓	~	~	~	\checkmark	~	~	✓	~	9.2	~	~	~	~	~	~	~	~	~	~	~	\checkmark	✓	~
10.4	~	✓	~	~	✓	✓	~	✓	✓	✓	~	~	~	✓	✓	10.4	~	~	✓	~	~	✓	✓	✓	✓	~	~	\checkmark	✓	~

SD 40

50 40																															
24"					F	Front	Seat	Heig	lht							25"					Fr	ont S	Seat H	leigh	t						
Cog/ SH	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	Cog/ SH	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	2	~	~	~	~	~	~	~	~	~	~	~	✓	\checkmark	~	~
3.2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	3.2	~	~	~	~	~	~	~	~	~	~	~	~	\checkmark	~	\checkmark
4.4	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	4.4	~	~	~	~	~	~	~	~	~	~	~	~	\checkmark	~	\checkmark
5.6	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	5.6	~	~	~	~	~	~	~	~	~	~	~	~	\checkmark	~	\checkmark
6.8	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	6.8	~	~	~	~	~	~	~	~	~	~	~	~	\checkmark	~	✓
8	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	8	~	~	~	~	~	~	~	~	~	~	~	~	~	~	\checkmark
9.2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	9.2	Х	Х	~	~	~	~	~	~	~	~	~	✓	~	~	\checkmark
10.4	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	10.4	Х	Х	Х	Х	Х	Х	Х	~	~	~	~	~	\checkmark	~	\checkmark

SD 34 - 38

24"					F	Front	Seat	Heig	ht							25"					Fr	ont S	eat H	Heigh	t						
Cog/ SH	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	Cog/ SH	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	✓
3.2	~	~	~	~	~	~	~	~	~	~	~	~	~	~	>	3.2	~	~	~	~	~	~	~	~	~	~	~	\checkmark	~	~	✓
4.4	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	4.4	~	~	~	~	~	~	~	~	~	~	~	✓	~	✓	✓
5.6	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	5.6	✓	~	~	~	~	~	~	~	~	~	~	~	~	>	✓
6.8	~	~	~	~	~	~	~	~	~	~	~	~	~	~	~	6.8	Х	~	~	~	~	~	~	~	~	~	~	✓	~	~	✓
8	Х	~	~	~	~	~	~	~	~	~	~	~	~	~	~	8	Х	Х	Х	Х	Х	Х	>	✓	~	~	~	✓	~	~	✓
9.2	Х	Х	Х	~	~	~	~	~	~	~	~	~	~	~	~	9.2	Х	Х	Х	Х	Х	Х	Х	Х	Х	~	~	✓	~	~	✓
10.4	Х	Х	Х	Х	Х	Х	Х	~	~	~	~	~	~	~	~	10.4	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х	√	~	~	✓

✓ Possible

X NoGo

Supporting Pictures



Axle Tubes





HUM010401 Standard axle tube

Wheel Locks



HUM060001 Standard Wheel lock





HUM010402 Carbon axle tube



HUM070211 Surge LT

HUM060003 Compact wheel lock





