

RETAIL



													-								CIV
Invoice to:												Deliv	ver to:								
Name:											Nam	ne:									
Street:								(Stre	et:										
Town: Postal code:											Tow				Postal code:						
											E-M				FUSIAI COUE.						
E-Mail:																-					
Tel: Fax:								J			Tel:				Fax:						
Order date:										1			Marl	ked for:							
Purchase order:																					
Number required:												Sun	rise order	no.							
. tain		oqui	104.										J			Ourn					
Faxr	Fax number: +44 (0)845 605 66 89 Base Pricing													Мах	k. user w	eiaht:	125	ka			
	Email: orders@sunmed.co.uk £1,375													ER WEIG	-			kg			
							I		. , .	-											9
										CL	IEN	T MI	EAS	URE	EME	ENT					
						6			100	-)											
			34	36	3	5ea 38	atwi	lath 10	-	1) 12	4	4	4	16		48		Frame	Lena	th Matrix	
Seat depth (cm)	3	6	0	0		0		C		С	(0		0		Seat Dept		Frame Length	
	3	8	0	0	(0	(C	(С	(C	(С		0		36-40cm		Short	
	4	0	0	0	(o	(C	(C	(C	(C		0		42-44cm		Medium	
		2	0	0		0	0			- C	(- C		0		46-48cm		Long	
		4	0	0		0	0			о О			0			0		50cm	-	Extra long	
eat		6	0	0		0		0		0 0 0 0			0			0		50011		Extra long	
Š		8	0	0	0		0			0		0		0		0					
		50	0	0	0		0			0 0			0			0					
	Please note that the measurement is from the back. All measurements are in cm and without a cushion.																				
	FRC	олт	SEAT HE	FIGHT S	FIF	стю	ON: i	inde	nenc	lent	of fro	ont c	asto	rs ar	nd fr	ame v	versions				
		-			-	Fro	ont s	eat	heig	ght ((cm))			•		I				
			Fork type ((mm)	39	40	41	42	43	44	45	46	47	48	49	50					
	4"		Short		0	0		0		0											
			Long					0		0	0		0								
stol	5"	Short			0	0	0	0	0	0	0										
Cae	Ů		Long					0	0	0	0	0		0							
Front Castor	6"		Short		0			0	0	0	0	0	0								
Fro			Long					0	0		0	0	0	0	0						
	7"		Long							0	0		0	0	0	0					
			Max. diffe	rence fro	ont/ re	ear se	eat he	eight	: 0 - 1	110 m	nm										
	REA	AR S	EAT HEI	GHT SE	ELEC	CIT	N: in	dep	ende	ent of	real	r whe	eel s	ize							
Rear seat height (cm)																					
	I		Wheels	Re: 36		eat 1 38	_	nt (0 40	-	42	43	44	A5	46	17						
			22"	0	0	30	39	40	41	42	43	44	40	40	47	1					
			24"				-			_						-					
						0	0	0	<u>^</u>	0	0	0	0	0	~	-					
			25"				0	0	0	0		0	0	0	0						

			£
		SEAT UPHOLSTERY AND CUSHIONS	
		Seat Slings	
LRF020001	•	Seat sling, Nylon, tension adjustable	
LRF020002		Seat sling, nylon, tension adjustable, 1 utility bag	26
LRF020000	0	Without seat sling	
		Seat Cushion with black cover	
LRF020101		Seat cushion, foam (medium-soft), cover with zipper, black, 3cm	57
LRF020102		Seat cushion, foam (medium-soft), cover with zipper, black, 5cm	57
LRF020103		Seat cushion, Latex (very soft), cover with zipper, black, 5cm	57
LRF020104		Seat cushion, Latex (very soft), cover with zipper, black, 8cm	57
		Seat Cushion with water resistant/ breathable cover	-
LRF020105		Seat cushion, foam (medium-soft), climatic membrane water-resistant,cover with zipper,black,3cm	119
LRF020106		Seat cushion, foam (medium-soft), climatic membrane water-resistant,cover with zipper,black,5cm	119
LRF020107		Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 5cm	119
_RF020108		Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 3cm	119
		Jay Cushion - for complete Jay product range see Jay order forms	119
JA Y020002		JAY Basic	55
JAY020002		JAY Soft Combi P	77
JAY020003		JAY Easy Visco C	132
JAY020007		JAY Easy Fluid	308
JAY020004		JAY LITE	215
DF2223434553535353535351515151515151111111111111		Seat accessories	
LRF090018		Lap belt with buckle, metal	54
LRF020150		Replacement cover for seat cushion, cover with zipper, black (only with cushion order)	44
	• •	BACKREST trange 25-30 30-35 35-40 40-50	
Backrest h	-	trange 25-30 30-35 35-40 40-50	
Баск пеіалі			
	t set a	at (cm) $\bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40$	
	t set a	○ 27.5 ○ 32.5 ○ 37.5 ○ 42.5	
	t set a		
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
LRF030001	•	O 27.5 O 32.5 O 37.5 O 42.5 O 30 O 35 O 40 O 45 Backrest tube, aluminium	
LRF030001		O 27.5 O 32.5 O 37.5 O 42.5 O 30 O 35 O 40 O 45 Backrest tube, aluminium (from BH 27.5cm) Backrest, angle-adjustable, fold-down	
LRF030001	•	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
.RF030001 .RF030015	•	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
.RF030001 .RF030015	•	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	50
_RF030001 _RF030015 _RF030102	•	$\begin{array}{ c c c c c c } \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \end{array}$	50
LRF030001 LRF030015 LRF030102	•	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	50
LRF030001 LRF030015 LRF030102 LRF030201 LRF030203	•	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	135
LRF030001 LRF030015 LRF030102 LRF030201 LRF030203	• •	$\begin{array}{ c c c c c c } \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \end{array}$	
RF030001 RF030015 RF0300102 RF030201 RF030203 RF030204	• • • • • •	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	135
RF030001 RF030015 RF030102 RF030201 RF030203 RF030204 RF030205	•	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	135 198
.RF030001 .RF030015 .RF030102 .RF030201 .RF030203 .RF030204 .RF030205		$\begin{array}{c c c c c c c c c } \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \end{array}$	135 198
.RF030001 .RF030015 .RF030102 .RF030201 .RF030203 .RF030204 .RF030205 .RF030200		$\begin{array}{ c c c c c } \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline 0 & 12^{\circ}(78 \ EU) & 0 & -8^{\circ}(82 \ EU) & 0 & -4^{\circ}(86 \ EU) \\ \hline 0 & 0^{\circ}(90) \ EU) & 0 & 4^{\circ}(94 \ EU) & 0 & 8^{\circ}(98 \ EU) \\ \hline 0 & 0^{\circ}(90) \ EU) & 0 & 4^{\circ}(94 \ EU) & 0 & 8^{\circ}(98 \ EU) \\ \hline 0 & 10^{\circ}(90) \ EU) & 0 & 4^{\circ}(94 \ EU) & 0 & 8^{\circ}(98 \ EU) \\ \hline 0 & 10^{\circ}(90) \ EU) & 0 & 4^{\circ}(94 \ EU) & 0 & 8^{\circ}(98 \ EU) \\ \hline 0 & 10^{\circ}(90) \ EU) & 0 & 4^{\circ}(94 \ EU) & 0 & 8^{\circ}(98 \ EU) \\ \hline 0 & 10^{\circ}(90) \ EU) & 0 & 4^{\circ}(94 \ EU) & 0 & 8^{\circ}(98 \ EU) \\ \hline 0 & 10^{\circ}(90) \ EU) & 0 & 10^{\circ}(90) \ EU & 10$	135 198
RF030001 RF030015 RF030015 RF030201 RF030203 RF030204 RF030205 RF030200 RF030200	• 0 1 1 1 0 0	$\begin{array}{c c c c c c c } \hline \begin{titreskybbox[c]{ 0 $27.5 0 $32.5 0 $37.5 0 $42.5 \\ \hline 0$ 30 0 35 0 40 0 45 \\ \hline 0$ 30 0 35 0 40 0 45 \\ \hline 0$ 30 0 35 0 40 0 45 \\ \hline 0$ 40 45 \\ \hline 0$ 40 45 \\ \hline 0$ 40 45 \\ \hline 0$ 4° 42 EU 0 -4° $(86$ EU -4° -4° -4° $(86$ EU -4° $-4^{\circ}$$	135 198 198
RF030001 RF030015 RF030015 RF030201 RF030203 RF030204 RF030205 RF030200 RF030200	• 0 1 1 1 0 1 0 1 1 0	$\begin{array}{ c c c c c } \hline \hline \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	135 198 198 200
.RF030001 .RF030015 .RF030102 .RF030201 .RF030203 .RF030204 .RF030205 .RF030200 .RF030410 .RF030411	• 0 1 1 1 0 1 0 1 1 0	$\begin{array}{ c c c c } \hline \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \hline \end{array}$	135 198 198 200
RF030001 RF030015 RF030102 RF030201 RF030203 RF030204 RF030205 RF030200 RF030410 RF030411		$\begin{array}{ c c c c } \hline \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \hline \end{array}$	135 198 198 200
RF030001 RF030015 RF030015 RF030102 RF030201 RF030203 RF030204 RF030205 RF030205 RF030210 RF030410 RF030411 RF030411		$\begin{array}{ c c c c c } \hline \hline$	135 198 198 200 200
LRF030001 LRF030015 LRF030102 LRF030201		$\begin{array}{ c c c c } \hline \hline 0 & 27.5 & 0 & 32.5 & 0 & 37.5 & 0 & 42.5 \\ \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \hline 0 & 30 & 0 & 35 & 0 & 40 & 0 & 45 \\ \hline \hline \end{array}$	135 198 198 200

			£
		JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms	
Jay 3 Back -	Sha	ow Contour	
Mid Thoracic	:	□ JAY030010 Medium 34cm □ JAY030033 Tall 38cm	506
Upper Thora	cic:	□ JAY030012 Short 42cm □ JAY030019 Medium 46cm □ JAY030025 Tall 50cm	572
Shoulder He	ight:	□ JAY030015 Short 53cm □ JAY030022 Medium 57cm □ JAY030028 Tall 61cm	572
Jay 3 Back -	Mid	ontour	
Mid Thoracic	:	□ JAY030011 Medium 34cm □ JAY030018 Tall 38cm	506
Upper Thora	cic:	□ JAY030013 Short 42cm □ JAY030020 Medium 46cm □ JAY030026 Tall 50cm	572
Shoulder He	ight:	□ JAY030016 Short 53cm □ JAY030023 Medium 57cm □ JAY030029 Tall 61cm	572
Jay 3 Back -	Mid	eep Contour	
Mid Thoracic			627
Upper Thora			627
Shoulder He			627
Jay 3 Back -	•		021
•			627
Upper Thora			
Shoulder He	•		627
		esterior Deep Contour	500
Mid Thoracic			528
Upper Thora			528
Shoulder He	ight:	□ JAY050032 Short 53cm	528
JAY030004		Jay Headrest S/A (only with Jay 3 backs)	255
JAY030006		Standard Jay headrest (only with Jay 3 backs)	138
		ARMREST AND SIDEGUARDS	
		Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)	
LRF040050		Single-post sideguard, height-adjustable, removable, armpad (25cm),	135
LRF040051		Single-post sideguard, height-adjustable, removable, armpad (36cm),	135
LRF040052		Single-post sideguard, depth adjustable, tool height-adjustable, removable, armpad (33cm)	135
		Sideguards (not in combination with armrest)	
LRF040107	0	Sideguard, composite, removable, 21 cm high (31cm long), black	
LRF040102		Sideguard, aluminium, cold weather protection (in frame colour) (effective seat width is sw + 2cm)	152
LRF040103			152
LRF040104			285
		FRAME	
LRF010010	0	Frame FF 75 ° (integrated footrest) (LLL from 34cm)	
LRF010011	0	Frame FF 85 ° (integrated footrest)	
LRF010011			135
			100
LRF010015	0	Frame SA (removable footrest)	
LRF090100	•	Fie down brackets for transportation	
0005	_	CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option	
COG23	0	Centre of gravity 2.3cm	
COG43	0	Centre of gravity 4.3cm	
	0	Centre of gravity 6.3cm	
COG63	0		
COG63 COG83	0	Centre of gravity 8.3cm	
		Centre of gravity 8.3cm Frame accessories	
		Frame accessories	250
COG83	0	Frame accessories (1) Handbike axle (1)	250 195
COG83 LRF010500	0	Frame accessories Handbike axle (1)	
COG83 LRF010500	0	Frame accessories Handbike axle (1) Transit wheels (Not with crutch holder, tip assist and anti tip)	
COG83 LRF010500 LRF090010	0	Frame accessories Handbike axle (1) I'ransit wheels (Not with crutch holder, tip assist and anti tip) Fip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both)	195
COG83 LRF010500 LRF090010 LRF090001	0	Frame accessories Handbike axle (1) Transit wheels (Not with crutch holder, tip assist and anti tip) Fip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both) Fip assist, left LRF090002 Tip assist, right Fip assist, pair Image: Crutch holder Image: Crutch holder	195 39
COG83 LRF010500 LRF090010 LRF090001 LRF090003	0	Frame accessories Handbike axle (1) In andbike axle (1) In andbike axle (1) In andbike axle (1) In a solution of the second of the se	195 39 78
COG83 LRF010500 LRF090010 LRF090001 LRF090003 LRF090009		Frame accessories Handbike axle (1) Ifransit wheels (Not with crutch holder, tip assist and anti tip) Tip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both) Tip assist, left LRF090002 Tip assist, right Tip assist, pair Crutch holder, loop (only in combination with tip assist) Anti-tip tubes, swing-away (choose either tip assist or anti- tip tubes, not both)	195 39 78
COG83 LRF010500 LRF090010 LRF090001 LRF090003 LRF090009 LRF090036		Frame accessories Handbike axle (1) Transit wheels (Not with crutch holder, tip assist and anti tip) Tip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both) Tip assist, left LRF090002 Tip assist, right Tip assist, pair (only in combination with tip assist) Crutch holder, loop (only in combination with tip assist) Anti-tip tubes, swing-away (choose either tip assist or anti- tip tubes, not both)	195 39 78 195
COG83 LRF010500 LRF090010 LRF090001 LRF090003 LRF090009		Frame accessories Handbike axle (1) If ransit wheels (Not with crutch holder, tip assist and anti tip) Fip assist (step tube) & Crutch holder (Not with crutch holder, tip assist and anti tip) Fip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both) Fip assist, left LRF090002 Tip assist, right Fip assist, pair Crutch holder, loop (only in combination with tip assist) Anti-tip tubes, swing-away (choose either tip assist or anti-tip tubes, not both) Anti-tip tubes, swing-away, left LRF090005 Anti-tip tubes, swing-away, right	195 39 78

£

		PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frame	£
.RF090211		Preparation for ATTITUDE, w/o ATTITUDE order (docking pins assembled)	90
.RF090212	0	Preparation for ATTITUDE, with ATTITUDE order (docking pins assembled; ATTITUDE order seperately)	
		HANGERS & FOOTPLATES	
LRF050002	0	Hanger angle 70°	
LRF050001	0	Hanger angle 80°	
LRF050041	0	Hanger angle 90° (not with 6" & 7" castor)	
LRF050008	0	Hanger, aluminium, swing-away, pair	
LRF050006	0	Hanger, aluminium, swing-away, LH LRF050007 O Hanger, aluminium, swing-away, RH	
		Composite hanger	
LRF050002	0	Hanger angle 70°	
LRF050001	0	Hanger angle 80°	
LRF050005	0	Hanger, composite, swing-away, pair	
LRF050003	0	Hanger, composite, swing-away, LH LRF050004 O Hanger, composite, swing-away, RH	
		Elevating Legrest (ELR)	
_RF050011		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (1) (from seat width 38cm)	236
LRF050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH (1)	118
LRF050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH (1)	118
		Footplate (when SA front selected)	
LRF050020	٠	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2)	
LRF050050		Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (from LLL 35cm)	102
LRF050102		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (3)	13
		LRF050126 Swing-away mechanism for platform footboard (from LLL 34cm)	94
		LRF050062 Locking system, platform footplate, aluminium	50
		Platform footrest, angle adjustable (only for seat width 32 to 50cm)	
LRF050131		Footboard, platform, lightweight, composite, angle & depth-adjustable flip up, calf strap black (4)	32
LRF050132		Footboard, platform lightweight, carbon fibre, angle &depth-adjustable flip-up, calf strap, black (4)	32
LRF050127		Adjustable side protection, to create a side-stop on the footboard (only in combination with Platform)	62
		Footrest (only with fixed front frame) (not with hanger; lower leg length between 36 - 52.5cm)	
LRF050025	0	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black	
LRF050024		Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, frame colour	135
LRF050127		Adjustable side protection, to create a side-stop on the footboard (only with LIR050025/050024/050032)	62
		LOWER LEG LENGTH (LLL in cm) (Attention: LLL has to be 25 mm lower than seat height front)	
	0	33 0 34 0 35 0 36 0 37 0 38 0 39	
	0	40 0 41 0 42 0 43 0 44 0 45 0 46 0 47	
		FORK (compare with your choice on the first page)	
LRF080041	٠	Castor fork, Aluminium, Black	
		LRF080042 O Colour Cast. Fork Silver	
		LRF080043 O Colour Cast. Fork Orange	
		CASTOR (compare with your choice on the first page)	
LRF080301	0	Castor, solid (hard), rim: composite, black	
LRF080302	0	Castor, solid (soft), rim: composite, black (only for 5" & 6" castors; max SH 520mm)	
LRF080305	0	Castor, pneumatic, rim: composite, black (only for 6" & 7" castors)	
.RF080303		Castor, solid (hard), light-up, rim: composite, black (Not available for 6"/7")	59
		Castor with aluminium rim	
.RF080304		Castor, solid (hard), rim: aluminium (Only for 4" and 5")	70
LRF080306		Castor, solid (soft), rim: aluminium, silver (Only for 4" and 5";)	70
		Colour, rim: LRF080311 O Black LRF080315 O Blue	
		LRF080313 O Orange LRF080314 O Red	

			£
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)	
LRF070000	0	Without rear wheel	
LRF070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 22"/24") Rear wheel, During the second spokes (silver), cross-wise spokes (only 22"/24")	
LRF070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24") Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")	
LRF070003		Rear wheel, Lightweight, 24 spokes (silver), straight spokes (max. user weight: 125 kg)	206
LRF070004		Rear wheel, Proton, 24 spokes (black), straight spokes (max. user weight: 100 kg)	433
LRF070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver (only 24"/25")	463
LRF070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (only 22"/24") (only 22"/24") (only 22"/24")	316
LRF070009		Rear wheel, Mountain bike, 36 spokes (silver), straight spokes (only 24")	279
LRF070010		Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	419
		TYRES (choose only one tyre type)	
LRF070107	•	Tyre, pneumatic, slick, Schwalbe One (only 24"/25")	
LRF070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 22"/24")	
LRF070102	0	Tyre, puncture proof, tread (25" only with Proton, lightweight wheel)	
LRF070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (only 24")	89
LRF070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (only 24"/25")	89
		HANDRIM	
LRF070202	0	Handrims, aluminium, anodised, silver	
LRF070201	0	Handrims, aluminium, powder-coated, clear	
LRF070204		Handrims, stainless steel, silver	56
LRF070203		Handrims, aluminium, powder-coated, coloured	64
LRF070207		Handrims, Supergrip ® (22" only with universal and drum brake wheels)	229
LRF070208		Handrims, Maxgrepp ® (only 22"/24", only handrim mounting wide)	200
LRF070211		Handrims, Surge ® (only 24"/25")	164
LRF070200	0	Without handrims	
		HAND RIM MOUNTING	
LRF070307	0	Handrim mount, super narrow (7 mm) (Only with 24" stainless steel and 24"/25" Surge)	
LRF070317	0	Handrim mount, narrow (17 mm) (not with Maxgrepp)	
LRF070327	0	Handrim mount, wide (27 mm)	
		HAND RIM COVER	
LRF070250		Handrim cover, Silicon(not with 25", Supergrip.Maxgrepp, Surge)	80
		WHEEL CAMBER (choose only one option; Armrests only with 0° & 1°)	
LRF070600	0	Camber 0° (no camber brackets provided)	
LRF070601	•	Camber 1° <i>LRF070603</i> O Camber 3°	
LRF070602	0	Camber 2° <i>LRF070604</i> O Camber 4°	
		SPOKE GUARDS (not with spinergy wheels, not with 25", not with mountain bike)	
LRF070831		Transparent	123
LRF070824		Racing LRF070801 Abstract LRF070806 Chrome	123
LRF070822		Pool <i>LRF070820</i> Oriental <i>LRF070809</i> Dirt Race	123
LRF070811		Feather LRF070817 Hot Wheels LRF070802 Basketball	123
LRF070814		Graffiti LRF070807 Creative LRF070827 Silk	123
		WHEEL LOCKS (choose only one option)	
LRF060001	0	Standard brake	
LRF060003		Compact brake	62
LRF060002		Knee-lever brake	52
LRF060010		Brake lever extension, knee-lever brake, fold-down	41

										£
	AC	CESSORIE	S							
LRF090000	•	Tool kit								
LRF090025		Air pump								13
LRF090024		High pressu	re pump (0 ·	11 bar)						67
LRF090030		Back pack								57
LRF090019		Caddy, flip-u	p bracket fo	or bags						57
LRF090026		Mobile phon	e pocket							57
	CC	LOURS ⁽¹⁾	Please co	nsult our col	our cat	alogue to review your colour cl	hoice			
		Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
			£64	£172	£54			£64	£172	£54
01 White RA	AL 90'	10 0				26 Silver Texture	0			
02 Brilliant S	Silver	0				27 Graphite metallic	0			
03 Silver Ma	att	0				28 Platinum metallic	0			
04 Silver		0				29 Black	0			
06 Sun Yello	w	0				31 Matt Black	0			
07 Brilliant L	.ime	0				32 Signal White	0			
08 Matt Lime	е	0				33 Pink	0			
14 Blue		0				34 Dark Chocolate Metallic	0			
15 Brilliant M	/larine	• 0				35 Skyblue	0			
16 Matt Mari	ine	0				36 Cyan-Metallic	0			
19 Brilliant P	Purple	0				37 Mars red (Orange)	0			
20 Matt Purp	ole	0				39 Cappuccino	0			
21 Red Ruby	у	0				40 Kiwi	0			
22 Brilliant R	Red	0				41 Flamingo-Glitter	0			
23 Matt Red		0				42 Matt-Anthracite	0			
24 Tutti Frut	ti Ora	nge O				43 Azure Blue	0			
(1) Handrin	n: only	with bandrim	colour pow	har castad: H	lub/rim:	only for universal wheel				
	. 0111	STICKER	-							
LRF100550	•	Sticker colou		•						1
LRF100551	0	Sticker colou	ır - silver							
		ANODIZE	D COLOU	R AXLE P	LATE					
LRF100580	٠	Axle plate ar	odized, bla	ck						
LRF100581	0	Axle plate ar	odized, sive	ər						
LRF100582	0	Axle plate ar	odized, ora	nge						
		24 " LIGH			COL	OURS				
	•	Black								
LRF100336		Anodized, or	ange							172
LRF100337		Anodized, bl	ue							172
LRF100338		Anodized, re	d							172
	CC	MMENTS F	OR SPE	CIAL BUIL	.D					
								ſ		
								built	<mark>4</mark> me	
		R - Basic	: Price					£		
Option price								£		
Packaging		transport						£		
Exclusive	VAT							£		
VAT.								£		
Total Pric	-							£		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

	s recommended on the basis of extensive practical experience. Deviations are possible in individual instances.						
Seat width (SW):							
a) For the user:	Allow space between sideguard and hip on each side of the chair						
	(approx. 10 - 20 mm altogether)						
b) On the wheelchair:	From outside frame tube to outside frame tube.						
Seat depth (SD):							
a) For the user:	When sitting upright: leave space for 2 - 3 fingers between						
	front edge of the seat upholstery and back of knee.						
	(approx. 30 - 60 mm). Care must be taken with adj. upholstery.						
b) On the wheelchair:	From back tube to front of seat upholstery.						
Front seat height:							
a) For the user:	When sitting with 90° knee angle:						
	From back of knee to bottom of shoe sole.						
b) On the wheelchair:	From front of seat tube to the ground.						
	(min. 30 mm longer than user measurement)						
	Remember to include the cushion height.						
Rear seat height:							
b) On the wheelchair:	From back of seat tube to the ground.						
	Note: Max. seat height difference rear to front is 130 mm						
Back height:							
a) For the user:	From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.						
b) On the wheelchair:	From back of seat tube to upper edge of backrest upholstery.						
	Note: The user's ability to sit upright has a major influence on the						
	back height and it can therefore differ considerably						
Back angle:	Important: The back height depends on the degree of disability.						
	0° is the angle 90° to the ground. Negative angles are < 90°						
	and positive angles are > 90°.						

SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Jay Basic (picture shown without upholstery)



Jay Easy Fluid (picture shown without upholstery)



Seat cushion, climate membrane water-resistant, cover with zipper, black



Jay Soft Combi P (picture shown without upholstery)



Jay Lite



Jay Easy Visco (picture shown without upholstery)



Lap belt with buckle, metal

BACKREST



Backrest, angle-adjustable, lock when folded



Push handles long



EXO backrest sling



Fold down push

EXO PRO

backrest sling



Height adjustable push handles

ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard,

depth adjustable, tool

height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk amrest, height adjustable,short armpad(25cm)



Desk armrest, fixed height,short armpad(25cm)



Desk armrest without armpad

Frame





Life FF 85°





Frame FF 85 ° (integrated footrest), inset (20

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

FRAME ACCESSORIES









Aluminium hanger, 90°

Hanger Angle 70°/80°

Elevating legrest

Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Divided footplate composite



Divided footplate aluminium



Platform, angle and depth adjustable;flip up, aluminium with locking system

FORKS



Fork Aluminium, black, orange & silver

REAR WHEELS











Universal cross spoked

Design wheel

Lightweight wheel

Spinergy wheel, 18 spokes



TYRES













Right Run Tyre

Solid Tyre

Marathon Plus Evolution

Supergrip

Max Grepp

Surge Handrim

WHEEL LOCKS



Knee lever wheel lock



Standard brake



Brake lever extension



Compact wheel lock



