

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:



Marked for:
 Sunrise order no:

Fax number: +44 (0)845 605 66 89
 Email: orders@sunmed.co.uk

Base Price
£1,375

Max. user weight: 140kg
 USER WEIGHT kg

CLIENT MEASUREMENTS

Seat width in cm

	36	38	40	42	44	46	48	50	52	54
36	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
38	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
40	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
42	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
44	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
46	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
48	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
50	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please note the method of measurement is from the back. All measurements are in cm and without a cushion

Front seat height in cm

Fork Type		40	42	43	44	45	46	47	48	49	50	51	52	53	54
Hemi Version	Short narrow	<input type="radio"/>	<input type="radio"/>												
	Long narrow			<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>			
	Long narrow						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>		
Hemi Version	Short narrow	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
	Long narrow						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>		
	Long narrow														
Hemi Version	Long narrow			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
	Long narrow						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Long wide	7"								<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Hemi version only with SA frame

7" not in combination with seat depth: 36-40cm

6" soft only with fork long wide; other 6" versions with small forks only

Max difference front/rear seat height; 11cm

Rear seat height in cm

Wheels	40	41	42	43	44	45	46	47	48	49	50	51
22"	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
24"				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
25"				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height CANNOT be above front seat height

						£	
SEAT UPHOLSTERY AND CUSHIONS							
Seat Slings							
LFE020014	● Seat sling, nylon, 1 utility bag						
LFE020000	○ Without seat sling						
Seat cushion, cover with zipper, black							
LFE020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 3cm						57
LFE020102	□ Seat cushion, foam (medium-soft), cover with zipper, black, 5cm						57
LFE020103	□ Seat cushion, Latex (very soft), cover with zipper, black, 5cm						57
LFE020104	□ Seat cushion, Latex (very soft), cover with zipper, black, 8cm						57
Seat cushion, climatic membrane water-resistant, cover with zipper, black							
LFE020105	□ Seat cushion, foam (medium-soft), climatic membrane water-resistant, cover with zipper, black, 3cm						119
LFE020106	□ Seat cushion, (medium-soft), climatic membrane water-resistant, cover with zipper, black, 5cm						119
LFE020107	□ Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 5cm						119
LFE020108	□ Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 8cm						119
Jay Cushion - for complete Jay product range see Jay order forms							
JAY020002	□ JAY Basic						55
JAY020003	□ JAY Soft Combi P						77
JAY020001	□ JAY Easy Visco C						132
JAY020007	□ JAY Easy Fluid						308
JAY020004	□ JAY LITE						215
Seat accessories							
LFE090018	□ Lap belt with buckle, metal						54
LFE020150	□ Replacement cover for seat cushion, cover with zipper, black					(only with cushion order)	44
BACKREST							
Backrest height range	25-30	30-35	35-40	40-45	45-50		
Back height set at (cm)	○ 25	○ 30	○ 35	○ 40	○ 45		
	○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5		
	○ 30	○ 35	○ 40	○ 45	○ 50		
LFE030010	● Backrest, fixed (90°)						
LFE030101	□ Backrest, half-folding (to the back)					(from back height 45cm-47.5cm)	50
LFE030031	□ Backrest, fold-down (to the front)					(from back height 30cm-47.5cm)	50
LFE030012	□ Backrest, angle-adjustable					(not with BH 50cm)	50
	○ -12° (78 EU)	○ -8° (82 EU)	○ -4° (86 EU)	○ 0° (90 EU)	○ 4° (94 EU)	○ 8° (98 EU)	○ 12° (102 EU)
Push handles							
LFE030201	● Push handles long						
LFE030203	□ Push handles, fold-down (1)					(only from back height 30cm; from 35cm with angle adj back)	135
LFE030204	□ Push handles, height-adjustable (1) (2)					(only from back height 30cm)	198
LFE030205	□ Push handles, height-adjustable for Jay backs (1), (2)					(only from back height 30cm)	198
LFE030200	○ Without push handles (1)						
FMG3217	FMG Pushhandles long (+3cm) for attendee (not with height adj pushhandles)					(B4M option)	
Backrest upholstery (black)							
LFE030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black						
	Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue						
LFE030317	□ EXO PRO Backrest sling, padded, adjustable, breathable, spacer fabric, 1 accessory bag, black						136
	Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue						
LFE030000	○ Without backrest upholstery						
Jay Shape							
JAY080001	□ JAY SHAPE Back					(SW 36-50cm, from BH 37.5cm, from RSH 44cm, not with fold down PH)	193
JAY080011	□ JAY SHAPE Lateral supports 10x12 (Pair)						193
JAY080010	□ JAY SHAPE Lateral supports 15x15 (Pair)						193
Backrest accessories							
LFE030402	□ Stabilising bar, automatic folding (1)						62
LFE030410	□ Headrest, tall height, depth and angle-adjustable, 23 x 11cm					(1) (2)	200
LFE030411	□ Headrest, medium height, depth&angle-adjustable, 20 x 11cm					(1) (2)	200
(1):	Not in combination with backrest, half-folding (to the back)						
(2):	Not in combination backrest backrest, fold-down (to the front)						

JAY BACKS plus ACCESSORIES (max . user weight 136 kg)							£
Jay 3 Back - Shallow Contour							
Mid Thoracic:		<input type="checkbox"/> JAY030010	Medium 34cm	<input type="checkbox"/> JAY030033	Tall 38cm		506
Upper Thoracic:	<input type="checkbox"/> JAY030012	Short 42cm	<input type="checkbox"/> JAY030019	Medium 46cm	<input type="checkbox"/> JAY030025	Tall 50cm	572
Shoulder Height:	<input type="checkbox"/> JAY030015	Short 53cm	<input type="checkbox"/> JAY030022	Medium 57cm	<input type="checkbox"/> JAY030028	Tall 61cm	572
Jay 3 Back - Mid Contour							
Mid Thoracic:		<input type="checkbox"/> JAY030011	Medium 34cm	<input type="checkbox"/> JAY030018	Tall 38cm		506
Upper Thoracic:	<input type="checkbox"/> JAY030013	Short 42cm	<input type="checkbox"/> JAY030020	Medium 46cm	<input type="checkbox"/> JAY030026	Tall 50cm	572
Shoulder Height:	<input type="checkbox"/> JAY030016	Short 53cm	<input type="checkbox"/> JAY030023	Medium 57cm	<input type="checkbox"/> JAY030029	Tall 61cm	572
Jay 3 Back - Mid Deep Contour							
Mid Thoracic:	<input type="checkbox"/> JAY030040	Short 30cm		<input type="checkbox"/> JAY030041	Tall 38cm		627
Upper Thoracic:			<input type="checkbox"/> JAY030042	Medium 460mm			627
Shoulder Height:	<input type="checkbox"/> JAY030043	Short 53cm					627
Jay 3 Back - Deep Contour							
Upper Thoracic:	<input type="checkbox"/> JAY030014	Short 42cm	<input type="checkbox"/> JAY030021	Medium 46cm	<input type="checkbox"/> JAY030027	Tall 50cm	627
Shoulder Height:	<input type="checkbox"/> JAY030017	Short 53cm	<input type="checkbox"/> JAY030024	Medium 57cm	<input type="checkbox"/> JAY030030	Tall 61cm	627
Jay Easy Back - Posterior Deep Contour							
Mid Thoracic:				<input type="checkbox"/> JAY050037	Tall 38cm		528
Upper Thoracic:			<input type="checkbox"/> JAY050031	Medium 46cm			528
Shoulder Height:	<input type="checkbox"/> JAY050032	Short 53cm					528
JAY030004	<input type="checkbox"/> Jay Headrest S/A				(only with Jay 3 backs)		255
JAY030006	<input type="checkbox"/> Standard Jay headrest				(only with Jay 3 backs)		138
ARMREST AND SIDEGUARDS							
Armrest							
LFE040052	<input type="checkbox"/> Single-post sideguard, armpad (33cm), depth adjustable, tool height-adjustable, removable						
	<input type="checkbox"/> Single post height adjustable armrest				(not in combination with sideguards; only with 0° and 1° camber)		135
LFE040050	<input type="checkbox"/> Single-post sideguard, armpad (25cm), height-adjustable, removable						
LFE040051	<input type="checkbox"/> Single-post sideguard, armpad (36cm), height-adjustable, removable						
Desk armrest with long and short pad (1)							
LFE040005	<input type="checkbox"/> Desk sideguard, button height adjustable, flip-up, removable						
	LFE040145	<input type="checkbox"/> Armpad for hemiplegic XL (length: 54cm, width: 13.5cm), left					150
	LFE040144	<input type="checkbox"/> Armpad for hemiplegic XL (length: 54cm, width: 13.5cm), right					150
	LFE040147	<input type="checkbox"/> Armpad for hemiplegic (length: 46cm, width: 10.5cm), left					150
	LFE040146	<input type="checkbox"/> Armpad for hemiplegic (length: 46cm, width: 10.5cm), right					150
LFE040001	<input type="checkbox"/> Desk sideguard, armpad (25cm), fixed, flip-up, removable						152
LFE040003	<input type="checkbox"/> Desk sideguard, armpad (31cm), fixed, flip-up, removable						152
LFE040002	<input type="checkbox"/> Desk sideguard, armpad (25cm), height-adjustable, flip-up, removable						185
LFE040004	<input type="checkbox"/> Desk sideguard, armpad (31cm), height-adjustable, flip-up, removable						185
LFE040020	<input type="checkbox"/> Release assistance for tetraplegics						29
Sideguards (not in combination with armrest)							
LFE040107	<input type="checkbox"/> Sideguard, composite, removable, 21cm high (31cm long), black						
LFE040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)				(effective seat width is sw +2cm)		152
LFE040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)				(effective seat width is sw +2cm)		152
LFE040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)				(effective seat width is sw +2cm)		285
TRAYS							
Slide on tray							
LFE090011	<input type="checkbox"/> Tray, push-fit				(SW 38cm to 48cm)		200
Swing away tray							
LFE090012	<input type="checkbox"/> Tray, swing-away (to the side), SW 34 - 60cm, left-mount				(only with desk armrest height adjustable)		200
LFE090013	<input type="checkbox"/> Tray, swing-away (to the side), SW 34 - 60cm, right-mount				(only with desk armrest height adjustable)		200
FRAME							
LFE010010	<input type="checkbox"/> Frame FF 75 ° (integrated footrest)						
LFE010011	<input type="checkbox"/> Frame FF 85 ° (integrated footrest)						
LFE010016	<input type="checkbox"/> Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active						135
LFE010015	<input type="checkbox"/> Frame SA (removable footrest)						
LFE090100	<input checked="" type="checkbox"/> Tie down brackets for transportation						
(1):	Not in combination with Half folding back < BH 40cm.						
	Only in combination with 0° & 1° wheel camber; Fold down backrest only from BH 40cm						

			£
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option			
COG23	<input type="radio"/>	Centre of gravity 2.3cm	
COG43	<input type="radio"/>	Centre of gravity 4.3cm	
COG63	<input type="radio"/>	Centre of gravity 6.3cm	
COG83	<input type="radio"/>	Centre of gravity 8.3cm	
FRAME ACCESSORIES			
LFE090010	<input type="checkbox"/>	Transit wheels	(Not with crutch holder, tip assist and anti tip) 195
		Tip assist (step tube) & Crutch holder	(choose either tip assist or anti- tip tubes, not both)
LFE090001	<input type="checkbox"/>	Tip assist, left	39
LFE090002	<input type="checkbox"/>	Tip assist, right	39
LFE090003	<input type="checkbox"/>	Tip assist, pair	78
LFE090009	<input type="checkbox"/>	Crutch holder, loop	(only in combination with tip assist) 195
		Anti-tip tubes, swing-away	(choose either tip assist or anti- tip tubes, not both)
LFE090036	<input type="radio"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist)
LFE090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	69
LFE090005	<input type="checkbox"/>	Anti-tip tubes, swing-away, right	69
LFE090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair	136
PREPARATION FOR ATTITUDE ADD-ON BIKE - ONLY WITH FF-FRAME			
LFE090211	<input type="checkbox"/>	Preparation for ATTITUDE, w/o ATTITUDE order	(docking pins assembled) 90
LFE090212	<input type="radio"/>	Preparation for ATTITUDE, with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)
HANGERS & FOOTPLATES			
Aluminium hanger			
LFE050002	<input type="radio"/>	Hanger angle 70°	
LFE050001	<input type="radio"/>	Hanger angle 80°	
LFE050041	<input type="radio"/>	Hanger angle 90°	(not with 6", 7" castor)
LFE050006	<input type="radio"/>	Hanger, aluminium, swing-away, LH	LFE050007 <input type="radio"/> Hanger, aluminium, swing-away, RH
pick both	<input type="radio"/>	Hanger, aluminium, swing-away, Pair	
Composite hanger			
LFE050002	<input type="radio"/>	Hanger angle 70°	
LFE050001	<input type="radio"/>	Hanger angle 80°	
LFE050003	<input type="radio"/>	Hanger, composite, swing-away, LH	LFE050004 <input type="radio"/> Hanger, composite, swing-away, RH
pick both	<input type="radio"/>	Hanger, composite, swing-away, Pair	
Elevating Legrest (ELR)			
LFE050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	(1) 118
LFE050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	(1) 118
pick both		Hanger, aluminium, flip-up (0° - 90°), swing-away, Pair	(1) (only from SW 38cm)
Amputee Support Pad			
LFE050014	<input type="checkbox"/>	Amputee support, left	119
LFE050013	<input type="checkbox"/>	Amputee support, right	119
LFE050012	<input type="checkbox"/>	Amputee support, pair	237
Footplate			
LFE050020	<input type="radio"/>	Footplate, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	(pair)
LFE050050	<input type="checkbox"/>	Footplate, divided, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	(from LLL 36cm) 102
LFE050102	<input type="checkbox"/>	Footboard, platform, aluminum, angle-adjustable, flip-up (sideways), heel loop, black	(2) 135
LFE050126	<input type="checkbox"/>	Swing-away mechanism for platform footboard	(from LLL 38cm) 94
LFE050062	<input type="checkbox"/>	Locking system, platform footplate, aluminium	50
		Platform footrest, angle adjustable	(only up to seat width 50cm)
LFE050131	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle & depth-adj. flip up (sideways), calf strap, black	325
LFE050132	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	325
LFE050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	(only in combination with Platform) 62
		Autofolding	(only up to seat width 50cm)
LFE050028	<input type="checkbox"/>	Footboard, platform, lightweight, composite, auto-folding, angle & depth-adj., calf strap, black (2)	273
LFE050027	<input type="checkbox"/>	Footboard, platform, lightweight, carbon fibre, auto-folding, angle & depth-adj., calf strap, black (2)	316
(1): Not in combination with platform & autofolding footplate			
(2): Not in combination with ELR and SA frame			

											£					
LOWER LEG LENGTH - LLL in cm											(Attention: LLL has to be 2.5cm lower than seat height front)					
<input type="radio"/>	35	<input type="radio"/>	36	<input type="radio"/>	37	<input type="radio"/>	38	<input type="radio"/>	39	<input type="radio"/>	40	<input type="radio"/>	41	<input type="radio"/>	42	
<input type="radio"/>	43	<input type="radio"/>	44	<input type="radio"/>	45	<input type="radio"/>	46	<input type="radio"/>	47	<input type="radio"/>	48	<input type="radio"/>	49	<input type="radio"/>	50	
FORK											(compare with your choice on the first page)					
LFE080041	● Castor fork, Aluminium, Black															
	LFE080042	<input type="radio"/> Colour Cast. Fork Silver														
	LFE080043	<input type="radio"/> Colour Cast. Fork Orange														
LFE080101	<input type="checkbox"/> Expansion kit, designed for hemiplegic users (outrigger castor)											(Not in combination with 7" castors; SA frame only) 102				
CASTOR											(compare with your choice on the first page)					
LFE080301	<input type="radio"/> Castor, solid (hard), rim: composite, black															
LFE080302	<input type="radio"/> Castor, solid (soft), rim: composite, black											(only for 5" & 6" castors; max SH 52cm)				
LFE080305	<input type="radio"/> Castor, pneumatic, rim: composite, black											(only for 6" & 7" castors)				
LFE080303	<input type="checkbox"/> Castor, solid (hard), light-up, rim: composite, black											(Not available for 6"7") 59				
Castor with aluminium rim																
LFE080304	<input type="checkbox"/> Castor, solid (hard), rim: aluminium											(Only for 4" and 5") 70				
LFE080306	<input type="checkbox"/> Castor, solid (soft), rim: aluminium, silver											(Only for 4" and 5") 70				
	Colour, rim:	LFE080311	<input type="radio"/> Black	LFE080315	<input type="radio"/> Blue											
		LFE080313	<input type="radio"/> Orange	LFE080314	<input type="radio"/> Red											
REAR WHEELS											(compare with your choice on the first page; choose only one wheel type)					
LFE070000	<input type="checkbox"/> Without rear wheel															
LFE070001	<input type="radio"/> Rear wheel, Universal, 36 spokes (silver), cross-wise spokes											(only 22"24")				
LFE070002	<input type="radio"/> Rear wheel, Design, 36 spokes (silver), straight spokes											(only 24")				
LFE070003	<input type="checkbox"/> Rear wheel, Lightweight, 24 spokes (silver), straight spokes											(max. user weight: 125 kg) 206				
LFE070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes (black), straight spokes											(max. user weight: 100 kg) 433				
LFE070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver											(only 24"25") 463				
LFE070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes											(only 22"24") 316				
LFE070009	<input type="checkbox"/> Rear wheel, Mountainbike, 36 spokes (silver), straight spokes											(only 24") 279				
LFE070010	<input type="checkbox"/> Mountainbike wheel, replacement kit incl. tyre (extra coarse profile)											(only 24") 419				
One-arm drive											(22" & 24"; only with stainless steel handrim, COG 4.3cm; 0° camber) (1)					
LFE070401	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation											850				
LFE070402	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation											850				
TYRES											(choose only one tyre type)					
LFE070107	● Tyre, pneumatic, slick, Schwalbe One											(only 24"25")				
LFE070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run											(only 22"24")				
LFE070102	<input type="radio"/> Tyre, puncture proof, tread											(25" only with Proton, lightweight wheel)				
LFE070106	<input type="checkbox"/> Tyre, pneumatic, tread, Schwalbe Downtown Two Grip											(only 24") 89				
LFE070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution											(only 24"25") 89				
HANDRIM																
LFE070202	<input type="radio"/> Handrims, aluminium, anodised, silver															
LFE070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear															
LFE070204	<input type="checkbox"/> Handrims, stainless steel, silver											56				
LFE070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured											64				
LFE070207	<input type="checkbox"/> Handrims, Supergrip ®											(22" only with universal and drum brake wheels) 229				
LFE070208	<input type="checkbox"/> Handrims, Maxgrepp ®											(only 22"24", only handrim mounting wide) 200				
LFE070211	<input type="checkbox"/> Handrims, Surge ®											(only 24"25") 164				
LFE070200	<input type="radio"/> Without handrims															
Handrim Mounting																
LFE070307	<input type="radio"/> Handrim mount, super narrow (7 mm)											(Only with 24" stainless steel and 24"25" Surge)				
LFE070317	<input type="radio"/> Handrim mount, narrow (17 mm)											(not with Maxgrepp)				
LFE070327	<input type="radio"/> Handrim mount, wide (27 mm)															
Handrim Cover																
LFE070250	<input type="checkbox"/> Handrim cover, Silicon											(not with 25", Supergrip, Maxgrepp, Surge) 80				
WHEEL CAMBER											(choose only one option; Armrests only with 0° & 1°)					
LFE070600	<input type="radio"/> Camber 0°											(no camber brackets provided)				
LFE070601	● Camber 1°											LFE070603 <input type="radio"/> Camber 3°				
LFE070602	<input type="radio"/> Camber 2°											LFE070604 <input type="radio"/> Camber 4°				
(1) RSH for 22":40-45cm; for 24": 42-47cm; axle plate silver																

								£	
SPOKE GUARDS									
<i>(not with spinergy wheels, not with 25", not with mountainbike wheel)</i>									
LFE070831	<input type="checkbox"/>	Transparent						123	
LFE070824	<input type="checkbox"/>	Racing	LFE070801	<input type="checkbox"/>	Abstract	LFE070806	<input type="checkbox"/>	Chrome	123
LFE070822	<input type="checkbox"/>	Pool	LFE070820	<input type="checkbox"/>	Oriental	LFE070809	<input type="checkbox"/>	Dirt Race	123
LFE070811	<input type="checkbox"/>	Feather	LFE070817	<input type="checkbox"/>	Hot Wheels	LFE070802	<input type="checkbox"/>	Basketball	123
LFE070814	<input type="checkbox"/>	Graffiti	LFE070807	<input type="checkbox"/>	Creative	LFE070827	<input type="checkbox"/>	Silk	123
LFE070828	<input type="checkbox"/>	Space	LFE070812	<input type="checkbox"/>	Flying Water	LFE070803	<input type="checkbox"/>	Basketball 2	123
WHEEL LOCKS									
<i>(choose only one option)</i>									
LFE060001	<input type="radio"/>	Standard brake							
LFE060002	<input type="checkbox"/>	Knee-lever brake						52	
LFE060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down						41	
LFE060003	<input type="checkbox"/>	Compact brake						62	
LFE060015	<input type="checkbox"/>	Push to lock brake, one-arm, left actuation						146	
LFE060016	<input type="checkbox"/>	Push to lock brake, one-arm, right actuation						146	
ACCESSORIES									
LFE090000	<input type="radio"/>	Tool kit							
LFE090025	<input type="checkbox"/>	Air pump						13	
LFE090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)						67	
LFE090030	<input type="checkbox"/>	Back pack						57	
LFE090019	<input type="checkbox"/>	Caddy, flip-up bracket for bags						57	
LFE090026	<input type="checkbox"/>	Mobile phone pocket						57	
COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice									
	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
		£64	£172	£54			£64	£172	£54
01 White RAL 9010	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26 Silver Texture	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
02 Brilliant Silver	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27 Graphitemetallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
03 Silver Matt	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28 Platinmetallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
04 Silver	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06 Sun Yellow	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
07 Brilliant Lime	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
08 Matt Lime	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33 Pink	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14 Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34 Dark Chocolate Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15 Brilliant Marine	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35 Skyblue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16 Matt Marine	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19 Brilliant Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37 Marsred (Orange)	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20 Matt Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	39 Cappuccino	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21 Red Ruby	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22 Brilliant Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23 Matt Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 Matt-Anthracite	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24 Tutti Frutti Orange	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43 Azuri Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
STICKER COLOURS									
LFE100550	<input checked="" type="radio"/>	Sticker colour - black							
LFE100551	<input type="radio"/>	Sticker colour - silver							
ANODIZED COLOUR AXLE PLATE									
<i>(not with one-hand operation)</i>									
LFE100580	<input checked="" type="radio"/>	Axle plate anodized, black							
LFE100581	<input type="radio"/>	Axle plate anodized, silver							
LFE100582	<input type="radio"/>	Axle plate anodized, orange							
24 " LIGHT WEIGHT WHEEL COLOURS									
	<input checked="" type="radio"/>	Black							
LFE100336	<input type="checkbox"/>	Anodized, orange							172
LFE100337	<input type="checkbox"/>	Anodized, blue							172
LFE100338	<input type="checkbox"/>	Anodized, red							172
(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel									

COMMENTS FOR SPECIAL BUILD



Quickie Life - Basic Price	£1,375
Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price	

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between
front edge of the seat upholstery and back of knee.
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the
back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Seat cushion, climate membrane water-resistant, cover with zipper, black



Lap belt with buckle, metal



Jay Basic
(picture shown without upholstery)



Jay Soft Combi P
(picture shown without upholstery)



Jay Easy Visco
(picture shown without upholstery)



Jay Easy Fluid
(picture shown without upholstery)



Jay Lite

BACKREST



Angle adjustable back
-12° to 12°



Backrest, Half Folding



Backrest, fold down (to the front)



Push handles long



Fold down push



Height adjustable push handles



EXO backrest sling



EXO PRO backrest sling



Autofolding

ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk armrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad

Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85° (integrated footrest), inset (20 mm on each side), active

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

FRAME ACCESSORIES




Aluminium hanger, 90°



Composite hanger 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Footboard platform, lightweight, carbon fibre, auto folding



Divided footplate composite



Divided footplate aluminum



Platform, angle and depth adjustable; flip up, aluminium with locking system

FORKS



Fork Aluminium,
black, orange & silver



Expansion kit, designed for
hemiplegic users

REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

TYRES



Right Run Tyre



Solid Tyre



Marathon Plus
Evolution



Supergrip



Max Grepp



Surge Handrim

WHEEL LOCKS



Knee lever wheel lock



Brake lever extension



Compact wheel lock



One arm wheel lock



Standard brake

ACCESSORIES



Caddy



Back pack



High pressure pump



Air pump



Mobile phone pocket

ANODIZED COLOUR AXLE PLATE



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red